



MOE
LIGHT

imaginative
new
home lighting
ideas from
Moe Light

DUTTON-LAINSON COMPANY

HASTINGS — NORTH PLATTE — SCOTTSBLUFF

NEBRASKA



Free your imagination

**INDEX TO DECORATOR
ROOM SETTING PHOTOS . . .
IN FULL COLOR**

	Page No.
Living room	14, 42
Dining room	2, 8, 20, 26, 32
Family room	10, 70, 78
Bedroom	5, 52
Kitchen	7, 41, 76
Bathroom	80
Outdoor	56, 61
Entry hall	2, 28, 35
Utility room	39
How to plan area lighting	84, 85

INDEX TO LIGHTING STYLES AND TYPES

	Page No.		Page No.
Lighting families	2 to 9	Outdoor lighting	56 to 66
Pulldowns	10 to 17	Indoor and outdoor accent lights	66-67
Chain suspended	16-17	Portable desk lights	68
Chandeliers	18 to 31	Portable lighting	69
Dimming systems	32-33	Recessed lighting	70 to 75
Wall brackets	34	Illuminated ceilings	76-77
Decorative ceiling stylings	34 to 38	Decorative fluorescent	78-79
All-purpose lighting	39 to 41	Bathroom	76-77, 80-81
Clusters and pendants	42 to 50	Bathroom cabinets	82
Spreader kits	44-45	Fluorescent lighting	82-83
Stems and glass	51	How to plan area lighting	84-85
Decorative glass	52 to 55	Index of style numbers	86 to 89



...create your own world of beauty with decorative **Moe Light**

Today's lighting opens a boundless world of decorative expression. All you really need is imagination, and Moe Light.

WHAT LIGHTING DOES — Almost anything is possible, as you can see in the panoramic view above. Lighting welcomes guests, dramatizes draperies or forms a conversational group around the coffee table. It adds grace to dining and emphasizes your planter. The possibilities are endless.

HOW TO PLAN YOUR LIGHTING — First decide what home areas could best benefit from good lighting. On Pages 84 and 85, you'll find a complete outline describing over 30 lighting areas common to every home and explaining how to select the fixture types for each area. And as you look through

this book you'll see hundreds of beautiful lighting styles to glamorize your every living area plus many full-color room settings to demonstrate how best to use each lighting type.

WHEN TO PLAN LIGHTING — Whether you are building or remodeling, plan your lighting early. You'll save time, and you'll save money, if your builder or contractor works with you to complete plans well before the first wire is installed. (Detailed installation instructions are included with each fixture for "do-it-yourselfers.")

Follow these basic steps of selection and planning, and the satisfying results will form the perfect expression of you, your tastes, your personality.



M-1700



M-1701



M-1702



M-1705

◀ Florentine flair. Graceful M-1702 lantern dominates striking entry area, supplemented by two M-1700 pendants. Above dining room table, dimmer controlled M-1703 chandelier contrasts simplicity of room's furnishings.



M-1703

Set your theme with a family of stylings

The same decorating family in a variety of fixture types gives your home decorating continuity. For best effect, use one major family styling throughout your home as the basic theme. Then add variety with different, yet related styles. Result: a subtle, dramatic thread of continuity through every room.

Authentic Florentine

Hand-crafted wrought-iron stylings with French gold on white finish. Perfect to dramatize hallways, dining or living areas. Approximately 25" of chain with each fixture. May be shortened by removing links. For candelabra base lamps, up to 40W.

M-1700 Pendant. Width 12", height 12". 3 lamps.

M-1701 Lantern. Width 13", height 17". 3 lamps.

M-1702 Lantern. Width 7½", height 15". 3 lamps.

M-1703 Six-candle chandelier. Spread 23", height 13", white candles. 6 lamps.

M-1704 Three-candle chandelier. Spread 20", height 20", white candles. 3 lamps.

M-1705 Pendant. Diameter 11". 3 lamps.



M-1704

LIGHTING FAMILIES



M-3010-29



M-3018-30

M-3001

M-3006

M-3014-30

the Honeycomb family

*elegant expression of creative lighting at its finest . . .
sparkling original colors to create visual elegance
in any room, any decor.*



M-3000

M-3003

M-3004

M-3008



FURNITURE BY TOMLINSON

Chic simplicity in Honeycomb... two M-3010-30 pulldowns for handy, adjustable-height bedside lights, dimmer controlled for varying light level (Pages 32-33)... over headboard, M-1397-39 fluorescent (Page 79) brightens bedtime reading... M-3018-30 pendant adds color, light to dressing area.

Honeycomb is available in three smart, original colors — crisp Emerald-blue, warm Tangerine-gold, soft Honey natural — to blend with any color scheme. All pendant cord lengths are adjustable. Pulldowns are adjustable from approximately 21" to 54" and all have 3-way switches except M-3001. All diffusers are white glass. Natural honeycomb stylings trimmed in satin brass, others in polished brass.

M-3000 Pulldown — Honey natural finish over white fiberglass cone. Shade diameter 22". Solid walnut pull handle. 3-60W.

M-3001 Pulldown — Honey natural. Dia. 18". 1-100W.

M-3003 Downlight — Honey natural over fiberglass cone. Diameter 6½", depth 8¼". 1-60W.

M-3004 Ceiling styling — Honey natural over white fiberglass. Diameter 18", depth 6¾". 3-60W.

M-3006 Pendant — Natural honeycomb. Diameter 6", length to 60". 1-60W.

M-3008 Pendant — Natural honeycomb. Diameter 18", length to 64". 1-100W.

M-3010-29 Pulldown — Emerald-blue. Dia. 22". 3-60W.

M-3010-30 Pulldown — Tangerine-gold. Dia. 22". 3-60W.

M-3011-29 Pulldown — Emerald-blue cone. Shade diameter 18". Solid walnut pull handle. 3-60W.

M-3011-30 Pulldown — Tangerine-gold cone. Shade diameter 18". Solid walnut pull handle. 3-60W.

M-3012-29 Pendant — Emerald-blue. Shade diameter 18", length to 65". 3-60W.

M-3012-30 Pendant — Tangerine-gold. Shade diameter 18", length to 65". 3-60W.

M-3014-29 Ceiling styling in Emerald-blue. Shade diameter 18", depth 6¾". 3-60W.

M-3014-30 Ceiling styling in Tangerine-gold. Shade diameter 18", depth 6¾". 3-60W.

M-3018-29 Pendant in Emerald-blue. Diameter 6", length to 60". 1-60W.

M-3018-30 Pendant in Tangerine-gold. Diameter 6", length to 60". 1-60W.

LIGHTING FAMILIES



*The
Traditional
Family*



M-1452-14

M-1455-20



M-1457-14




M-1452-20




M-1453-14



M-1453-20



M-1454-14



M-1454-20



Pulldown convenience for work or hobby... M-1454-14 illuminates, decorates this den's desk area.

Bright dining... M-1452-14 pulldown provides versatile dinette light... lowered for concentrated light, raised for general illumination.

Friendly and inviting, this livable traditional family reflects hospitality in the entry hall, over a dining area, as a reading light, plus many other applications throughout the home. Available as chain-hung (20 inches furnished, adjustable by removing links), pulldown and close-to-ceiling in antique white with polished brass trim or in antique copper finish. All stylings have white glass diffusers. Pull-downs and chain-hung stylings have 3-way switches.

M-1452-14 Pulldown — antique copper. Shade diameter 17", length adjustable from 28" to 55". One 50-100-150W or one 50-200-250W.

M-1452-20 Same as M-1452-14 except antique white.

M-1453-14 Chain-hung version of M-1452-14.

M-1453-20 Chain-hung version of M-1452-14 except antique white.

M-1454-14 Pulldown — antique copper. Shade diameter 14", length adjustable from 23½" to 50". One 50-100-150W.

M-1454-20 Antique white version of M-1454-14.

M-1455-14 Chain-hung version of M-1454-14.



M-1455-20 Chain-hung version of M-1454-14 except antique white.

M-1456-14 Ceiling styling — antique copper. Shade diameter 14", depth 6½". 2-60W.

M-1456-20 Same as M-1456-14 except antique white.

M-1457-14 Ceiling styling — antique copper. Shade diameter 17". Depth 6⅞". 3-60W.

M-1457-20 Same as M-1457-14 except antique white.



LIGHTING FAMILIES



Center of all attention, M-1304 chandelier sets decorative mood for Early American decor, dimmer controlled for dramatic mood lighting effect (Pages 32-33) ... matching M-1300 wall brackets add bright note to sideboard area.

Traditional expression in attractive hobnail opal glass with polished brass trim. Available in six different stylings: chandelier, pulldown, chain-suspended, close-to-ceiling, wall bracket and pole light.

M-1300 Wall bracket with switch. Width 6¼", height 10¼". Extends 7⅝". 1-60W.

M-1301 Ceiling styling. Width 10¼", depth 16". 1-100W.

M-1302 Chain-suspended with 3-way switch. Width 15",

height to 57" (adjustable by removing links). One 50-100-150W or one 50-200-250W.

M-1303 Pulldown with 3-way switch. Width 15", adjusts 29" to 57". One 50-100-150W or one 50-200-250W.

M-1304 Five-light chandelier with polished brass arms and urn. Spread 25", height to 38". Up to 5-75W.

M-1305 Portable pole light with black and brass pole. 3-way switch. Spread 15", adjustable from 7'6" to 9' ceiling heights. Up to 3-100W.

LIGHTING FAMILIES

M-1304



M-1305



Distinctive Hobnail Glass


M-1302



M-1303



M-1300



M-1301





FURNITURE BY HERITAGE

▲
Paired pull-downs. Over table, dimmer controlled M-1500 concentrates game-cheering light... between chairs, companion M-1500 makes smart, adjustable-height reading light... wall accents shine from M-5698 recessed directional beam lights (Page 75).



M-1491



M-1500

*add versatility and
beauty to your home with*


PULLDOWNS

Over a table, desk, bar or counter, pull downs provide an attractive, useful light source.

Used beside a chair or in pairs on either side of a bed, they become an adjustable reading light. Lower for concentrated light, raise for wide-spread illumination.



M-1536



M-1537



M-1495

M-1491 Polished brass shade and frosted white glass diffuser with clear white accent lines. Diameter 20", adjusts from 18" to 46". 3-60W.

M-1495 Wide satin brass shade with gold and white glass crown. White ceramic glass diffuser. 3-way switch. Dia. 18"; adjusts from 14½" to 41½". 3-60W.

M-1500 Contemporary shape accented by sweeping brass and walnut pull handle. Black shade with polished brass trim, white ceramic glass diffuser. 3-way switch. Diameter 21"; adjusts from 16" to 45". 4-60W.

M-1536 Graceful white fiberglass with gold flecking. Polished brass trim, white ceramic glass diffuser. On/off switch. Diameter 18", adjusts from 16" to 45". 2-60W.

M-1537 Pulldown of frosted white fiberglass. Polished brass trim. 3-way switch. Diameter 21"; adjusts from 16" to 46½". 3-60W.

M-1548 Wide polished brass shade with smoky-gray crackle glass cone. White glass diffuser, 3-way switch. Diameter 20"; adjusts from 23½" to 50½". 3-75W.



M-1548



M-1543




M-4090

M-1545

Glass-on-glass Series

Contemporary
Series



M-1459-3




M-1459-8



M-1459-7



M-1529-1



M-1529-2

PULLDOWNS

M-1478



M-1479

Textured Glass Series

M-1425



M-1429

Cordette Series

Cordette Series. Distinctive shade of plastic-bonded, natural-colored Whirl cord. White glass diffusers, polished brass trim. 3-60W.

M-1425 Ceiling styling. Diameter 16".

M-1429 Pulldown. Dia. 20". 3-way switch, adjusts 19" to 47".

Contemporary Series. Shades with contrasting metal surfaces. Disappearing horizon lines on white glass diffusers. 3-way switches. Dia. 18"; adjusts 16" to 46½". 3-60W.

M-1459-3 Satin aluminum shade, satin copper trim.

M-1459-7 Black shade, polished brass trim.

M-1459-8 White shade, polished brass trim.

Textured Glass Series. Lively textured glass shade with white pattern. White ceramic glass diffusers, polished brass trim. Diameter 19". 3-75W.

M-1478 Ceiling Styling.

M-1479 Pulldown, 3-way switch, adjusts 22" to 48".

M-1529-1 Dramatic sweeping polished brass shade. White glass diffuser. Diameter 20"; adjusts from 19" to 48", 3-way switch. 4-60W.

M-1529-2 Same except polished copper.

M-1543 Sparkles of light flow through textured glass crown. Polished brass shade and trim. White ceramic glass diffuser. 3-way switch. Dia. 20"; adjusts 11½" to 49". 4-60W.

Glass-on-glass Series. Geometric gold designs on white glass shades. White glass diffusers, satin brass trim. Diameter 21". 4-60W.

M-1545 Pulldown, 3-way switch, adjusts 19" to 46".

M-4090 Ceiling styling.

M-1546 White crackle enamel on gleaming gold — polished brass accents. White ceramic glass diffuser, 3-way switch. Dia. 18"; adjusts to 48". 3-60W.



M-1546



FURNITURE BY HERITAGE


M-3001 Honeycomb pulldown brightens music area . . .
two M-3006 (Page 47) Honeycomb pendants create reading corner . . .
pole light M-1407 (Page 69) accents window corner and
M-5698 recessed units (Page 75) bring out beauty of pictures.



M-3000



M-3010-29



M-3001

PULLDOWNS

Honeycomb Series. Combination of contemporary design and decor-matching colors. Emerald-blue, Tangerine-gold and Honey natural. All diffusers white glass; all wood pull handles, solid walnut. Polished brass trim. (See matching stylings, P. 4-5.)

M-3000 Honey natural over white fiberglass cone. 3-way switch. Diameter 22"; adjusts from 23" to 58". 3-60W.

M-3001 Honey natural with sweeping brass pull ring. Dia. 18"; adjusts from 23" to 52". 1-100W.

M-3010-29 Emerald-blue. 3-way switch. Diameter 22"; adjusts from 21" to 53". 3-60W.

M-3010-30 Tangerine-gold. 3-way switch. Diameter 22"; adjusts from 21" to 53". 3-60W.

M-3011-29 Emerald-blue cone. 3-way switch. Diameter 18"; adjusts from 23" to 54". 3-60W.

M-3011-30 Tangerine-gold cone. 3-way switch. Diameter 18"; adjusts from 23" to 54". 3-60W.

M-1499 Convenient Ceiling Track lets you move fixtures six feet. Easy-glide nylon rollers, 9' cord and plug. Cord may be cut and permanently connected to ceiling outlet using canopy supplied with fixture. Polished brass cord weights, splicing urn and mounting screws.



M-3011-30



M-3011-29



M-3010-30



M-1499 Ceiling Track



M-1303



M-1302



*Traditional
Series*



M-1454-20



PULLDOWNS and companion CHAIN-SUSPENDED



M-1489-14

M-1486-14

M-1533

M-1532

M-839 and M-840. Authentic Gloucester lantern stylings in antique copper with hand-blown opal glass chimneys. 3-way switches. Diameter 16", one 30-70-100W.

M-839 Chain-suspended, extends to 36"(*).

M-840 Pulldown, adjusts from 28" to 56".

M-1302 and M-1303. Opal hobnail glass companions. Polished brass trim, glass chimneys. 3-way switches. Dia. 15" at bow of harp. One 50-100-150W or one 50-200-250W.

M-1302 Chain-suspended, extends to 39½"(*).

M-1303 Pulldown, adjusts from 29" to 57".

Traditional Series. In two striking finishes: antique copper, or antique white with polished brass trim. Opal glass diffusers, 3-way switches. One 50-100-150W or one 50-200-250W.

17-inch Diameter. Pulldowns adjust from 28" to 55", chain-suspended extend to 37"(*).

M-1452-14 Pulldown — antique copper.

M-1452-20 Pulldown — antique white.

M-1453-14 Chain-suspended — antique copper.

M-1453-20 Chain-suspended — antique white.

14-inch Diameter. Pulldowns adjust from 23½" to 50", chain-suspended extend to 33¾"(*).

M-1454-14 Pulldown — antique copper.

M-1454-20 Pulldown — antique white.

M-1455-14 Chain-suspended — antique copper.

M-1455-20 Chain-suspended — antique white.

M-1486 and M-1489. Charm of yesteryear in antique copper finish. White ceramic glass diffusers, 3-way switches. Diameter 18". 3-75W.

M-1486-14 Chain-suspended, extends to 57½"(*).

M-1489-14 Pulldown, adjusts from 27" to 55".

M-1532 and M-1533. Traditional stylings in antique white shade accented with polished brass trim. Hand-blown opal glass chimneys. 3-way switches. Diameter 16". One 50-100-150W or one 50-200-250W.

M-1532 Chain-suspended, extends to 46"(*).

M-1533 Pulldown, adjusts from 25½" to 52".

(*) All chains may be shortened by removing links.



*add an imaginative touch
of elegance with*

CHANDELIERS

and matched lighting styles

Traditionally, the dining room is the chandelier's realm. But don't overlook the use of chandeliers in your foyer or as an added lighting refinement to your bedroom. On these and following pages are shown a wide variety of chandeliers, matching wall brackets and ceiling stylings. For a dramatic decorative effect, control the brightness of your chandelier with a Thomas Industries electronic dimmer (Page 33).



M-1722



M-1720

Graceful, dramatic! Striking black matte finish with polished brass trim and white candles. Polished brass chains on M-1721 and M-1722 may be shortened by removing links. For candelabra base lamps, up to 40W.

M-1720 Three-candle wall bracket. Spread 12", height 16", extends 6½". 3 lamps.

M-1721 Five-candle chandelier. Spread 23", height 22", length to 44¼". 5 lamps.

M-1722 Sweeping 10-candle chandelier. Spread 25", height 28", length to 43". 10 lamps.



M-1721



FURNITURE BY FOUNDERS

M-1569 chandelier creates striking visual center to contemporary dining room... matching M-1567 brackets accent wall and buffet... all dimmer controlled for dramatic mood lighting effect (Pages 32-33)... M-1568 ceiling styling carries theme to entry hall.



M-1568



M-1567



M-1569

Contemporary Design



M-1770
(lamps included)

CHANDELIERS

and matching styles

M-1304 Traditional expression of superbly executed hobnail opal glass in a five-light chandelier. Polished brass center urn and arms. Spread 25", length to 38". Up to 5-75W.

Contemporary design combines brass, glass and walnut. Ribbed white ceramic glass shades on rectangular polished brass arms.

M-1567 Wall bracket. Height 8", width 4½", extends 6¾". Up to 1-75W.

M-1568 Two-light ceiling styling. Depth 16", width 13¾". Up to 2-75W.

M-1569 Dramatic six-light chandelier. Spread 24", length to 46½" (may be shortened by removing links). Up to 6-75W.

M-1748 Five-light chandelier in antique copper. White hobnail opal glass shades. Spread 22", length to 50" (may be shortened by removing links). 5-75W.

M-1770 Modern-as-the-minute eight-light chandelier. Polished brass arms support white textured glass miniature shades with petite frosted lamps. Spread 25". Two stem lengths included, maximum length 35" (may be shortened to 9"). 8-25W candelabra base lamps included.



M-1748



M-1304



M-1255

M-1507



M-1506



M-1508



M-1717



M-1718



M-1719



M-1718



M-1728

M-1669
chain kit



M-1729



CHANDELIERS

and matching pieces



M-1740

*Early Dutch
porcelain chandelier*

**M-1740 with
M-1743-8 shades**

M-1255 Authentic Early American charm. Frosted glass chimneys with hand-cut pattern, polished brass urn, arms and trim. Spread 20", length to 33" (may be shortened by removing chain links). Up to 5-75W.

Traditional stylings in the elegance of white hobnail shades. Polished brass stems, canopies and trim.

M-1506 Wall bracket. Height 8½", width 6¼", extends 7¾". Up to 1-100W.

M-1507 Ceiling styling. Depth 10½", width 11". Up to 1-100W.

M-1508 Three-light chandelier. Spread 18", length to 34". Up to 3-100W.

Simplicity in contemporary design. Chandeliers, wall bracket and ceiling styling for dining, living and bedrooms or halls. Polished rectangular brass arms cradle white opal glass shades. Polished brass stems and canopies.

M-1716 Ceiling styling. Depth 10¾", width 8". 1-75W.

M-1717 Wall bracket. Height 8", extends 8". 1-75W.

M-1718 Stem-suspended three-light chandelier. Spread 26", height 9¼", length 28". Up to 3-75W.

M-1719 Stem-suspended five-light chandelier. Spread 28", height 9¼", length 28". Up to 5-75W.

Graceful contemporary elegance in versatile matched chandeliers for halls, dining, living, family rooms. Polished brass arms and trim, white glass diffusers. Chain lengths may be shortened by removing links.

M-1728 Three-light chandelier. Spread 17", length to 35". Up to 3-75W.

M-1729 Sweeping five-light chandelier. Spread 18", length to 35". Up to 5-75W. (Shown with M-1669 chain kit, not included.)

M-1669 Chain kit. (Shown with M-1729 chandelier.) Permits positioning of fixture directly over area you want it when outlet box is to one side. Polished brass chain, ceiling chain hook, satin brass splice compartment. Length 6' with 86" of cord.

M-1740 Spindle and candle cups with delft blue figured pattern on white porcelain. Matte black arms, polished brass chain and canopy. Spread 25", length to 52". Up to 6-40W candelabra base lamps.

Chandelier shades. Shantung silk with parchment liner. Diameter 3¼" top, 4½" bottom; height 4½". Spring clip adapts to M-1906 round candelabra base lamps (Page 31).

M-1743-8 White Shade. **M-1743-11** Cherry red shade.



M-1750



M-1751



M-1752



*Remember dimmers
for every room
in your home.
See page 32.*

Charm in chintz. Matched stylings accented by brown-gold leaf pattern on white chintz shades. Polished brass trim, white opal glass diffusers.

M-1750 Petite ceiling styling. Depth 9", width 8½". Up to 1-75W.

M-1751 Wall bracket. Height 8½", width 6", extends 8". On/off switch. Up to 1-75W.

M-1752 Five-light chandelier with walnut wood spindle. Spread 21", height 15", length to 35" (may be shortened by removing links). Up to 5-75W.



M-1713

CHANDELIERS

and matching styles

Tole stylings. Antique white in an 18th Century Provincial design with applied and embossed ornamentation. Polished brass trim, perforated brass galleries, opal glass diffusers. Ideal for dining room, foyer, den, family room or bedroom.

M-1710 Wall bracket. On/off switch. Height 13", width 6½", extends 8" from wall. 1-75W.

M-1711 Ceiling-suspended styling. Depth 17", width 9". 1-75W.

M-1712 Four-light chandelier. Spread 22", height 17", length to 48" (may be shortened by removing links). 4-75W.

M-1713 Eight-light chandelier. Spread 29", height 17", length to 54" (may be shortened by removing links). 8-75W.



M-1712



M-1711



M-1710



◀ Center of attention, M-1254 chandelier adds sparkle to sterling silver and fine china.



M-1254

CHANDELIERS

M-1735



M-1708




M-1709

and matching pieces

M-1266



M-1585



M-1254 A fountain of light for traditional or contemporary decor. Polished brass arms support white candles. Spread 24", length 30" (may be shortened by removing links). Up to 6-40W candelabra base lamps.

M-1266 Traditional styling for Ranch or Early American setting. Antique copper finish, white glass chimneys. Shade diameter 20", length to 45" (may be shortened by removing links). 4-75W.

M-1585 Unique "Astralite" — shining stars radiate from a brilliant polished brass sphere, for any room or decor. Spread 25". Two stem lengths included, maximum length 38" (may be shortened to 23½"). 16-10W M-1900 "Astral" lamps (not included, see Page 31 to order).

Classic beauty in graceful brass. At home in traditional or contemporary decor. Solid polished brass with slender brass candles.

M-1708 Wall bracket. On/off switch. Height 15", width 12½". Up to 2-40W candelabra base lamps.

M-1709 Eight-candle chandelier. Spread 25", height 17", length to 43". Up to 8-40W candelabra base lamps.

M-1735 Distinguished urn-center five-light chandelier. Cut crystal hurricane chimneys. Polished brass finish. Spread 25", height 17", length to 35¼" (may be shortened by removing links). 5-40W.

Elegant M-1762 chandelier spreads soft glow to dramatize spiral staircase as centerpiece of classic circular entry hall.



M-1742

CHANDELIERS

M-1742 Genuine colonial honey maple spindle and candle cups. Gently curving metal arms and trim in black finish. Spread 29", height 22½", length to 46"(*). Up to 6-40W candelabra base lamps. (For shades, order M-1743 in color and quantity needed.)

Chandelier shades. Shantung silk with parchment liner. Diameter 3¼" top, 4½" bottom; height 4½". Spring clip adapts to M-1906 round candelabra base lamps (Page 31).

M-1743-8 White shade. **M-1743-11** Cherry red shade.

M-1762 Authentic colonial styling in all its splendor. Polished brass for sparkling highlights. White candles. Spread 21½", height 22", length to 46"(*). 5-40W flame lamps.

(*) All chains may be shortened by removing links.



M-1762



M-1742 with
M-1743-11 shades

and matching pieces

A touch of colonial charm. Lustrous hand-blown opal glass chimneys, polished metal shades. Chandeliers have walnut wood spindles, brackets with switches.

M-1170-1 Wall bracket in polished brass. Height 8", width 7", extends 8½" from wall. Up to 1-75W.

M-1170-14 Same except antique copper.

M-1270-1 Polished brass five-light chandelier. Spread 22", length to 31½"(*). Up to 5-75W.

M-1270-14 Same except antique copper.

Bevel-edged crystal glass. Etched "sheaves of wheat" design. For dining areas, bedrooms, entry halls. Polished brass trim. White candle-type lampholders.

M-1560 Six-candle chandelier. Spread 18", length to 44½"(*). Up to 6-40W candelabra base lamps.

M-1561 Matching lantern. Width 7½" square, length 33½"(*). Up to 2-40W candelabra base lamps.



M-1560



M-1561



M-1170-1

M-1270-1



M-1170-14


M-1270-14



M-1703



M-1704



M-1555



M-1035



M-1553



M-1551



M-1031



M-1041

CHANDELIERS

Colonial design. Frosted, fluted-top etched glass chimneys, polished brass trim.

M-1031 Wall bracket. On/off switch. Height 8", extends 7". 1-60W.

M-1035 Five-light chandelier with spiral crystal center urn. Spread 19", length to 36"(*). 5-75W.

M-1041 Ceiling styling. Depth 9", width 8½". 1-60W.

Transitional Styling. The sparkle of clear cut-glass cups with polished brass trim.

M-1551 Ceiling styling. Depth 14½", width 6¾". 1-25W or 40W clear flame lamp.

M-1553 Wall bracket. Height 10½", width 6", extends 6¾". On/off switch. 1-25W or 40W clear flame lamp.

M-1555 Five-light chandelier. Walnut wood center spindle, chain-suspended. Spread 24", length to 36"(*). 5-25W or 40W clear flame lamps.

Hand-crafted Florentine. Wrought-iron stylings with French gold on white finish. Ideal to dramatize halls, dining or living areas. (Matching pieces Pages 2 and 3.)

M-1703 Six-candle chandelier. Spread 23", height 13", white candles. Maximum length 35"(*). Up to 6-40W candelabra base lamps.

M-1704 Three-candle chandelier. Spread 20", height 20", white candles. Maximum length 47"(*). Up to 3-40W candelabra base lamps.

The splendor of crystal chandeliers. Ideal for foyers, dining, living areas, bedrooms.

M-1725 Cast Spanish bronze chandelier, delicate ornamental design. Crystal pendants. Spread 17½", length to 38"(*). Up to 5-40W candelabra base lamps.

M-1730 Five-candle chandelier. White candle arms, leaves, canopy; polished brass chain, trim. Lead crystal bobeches with crystal pendants. Spread 17", height 14", length to 34"(*). Up to 5-40W candelabra base lamps.

M-1731 French gold on white. Lead crystal shades with crystal pendants. Spread 17", height 12", length to 32"(*). Up to 5-40W candelabra base lamps.



M-1743-8



M-1743-11



M-1900



M-1901



M-1902



M-1903



M-1906

Chandelier Accessories

Chandelier shades. Shantung silk with parchment liner. Diameter 3¼" top, 4½" bottom; height 4½". Spring clip permits use with M-1906 round candelabra base lamps.

M-1743-8 White shade.

M-1743-11 Cherry red shade.

Chandelier lamps. Candelabra base lamps for use with Moe Light chandeliers where specified.

M-1900 "Astral" lamp for M-1585 "Astralite" fixture (Page 27). 10W.

M-1901 Coated flame lamp with straight tip. 40W.

M-1902 Clear flame lamp with turned tip. 25W.

M-1903 Frosted flame lamp with turned tip. 25W.

M-1906 Coated round lamp for use with M-1743 shades. 25W. Also fits M-711 bath bracket; M-1470 and M-1471 clusters; M-1770 chandelier.

(*) All chains may be shortened by removing links.

M-1731



M-1725



M-1730



Dimming keys the room to the activity. Here, M-1742 chandelier (Page 28) turns the dining area into bright, practical game room...

... Here, a medium lighting level creates a quietly elegant showplace when the dining area is not in use...

Now, dimming creates a formal dining mood... low light for a candlelight dinner.



DIMMING

*sets your every
living mood*

Dimming permits you to control light from 100% brightness to less than 1% with one turn of a knob. Dimming effects are

boundless. Use them in dining and living areas, bedrooms, with illuminated ceilings in kitchen and bath — and as a dramatic touch to garden or patio lighting. Dimmers install simply, too — wire into any standard wall box like an ordinary switch.

INCANDESCENT DIMMING

Thomas Industries electronic incandescent dimmers with silicon-controlled rectifiers deliver full light control without flicker.

They're neat and compact — quickly wire into the regular wall switch boxes of the electric system.

To select the proper capacity, total the wattage of the lamps to be controlled.



M-6500 500-watt incandescent dimmer. Full range control — 100% brightness to less than 1%. Mounts in standard single switch box. Separate on/off switch. 120-volt, 60-cycle.



M-6501 500-watt incandescent dimmer. Smooth light control from "off" to mid-range, then full brightness. Mounts in standard single switch box. Built-in on/off switch. 120-volt, 60-cycle. Face plate not included.



M-6505 800-watt incandescent dimmer. Full range control — 100% brightness to less than 1%. Mounts in standard two-gang switch box, 3½" deep. Separate on/off switch. 120-volt, 60-cycle.



M-6530 300-watt diode light control. 3-position-high, low and off. Perfect for inexpensive installation where you want soft or bright illumination. Mounts in standard single switch box.

FLUORESCENT DIMMING

A completely new standard of performance in fluorescent dimming systems, made possible by developments in silicon controlled rectifiers from the Thomas Industries laboratories. Eliminates flicker throughout the cycle, yet gives smooth control in the full range from 100% to less than 1%. Proven in thousands of successful applications.

Thomas Industries fluorescent dimming systems bring new beauty, practicality to illuminated ceilings, valances, coves and concealed fixtures in kitchen, bath, family rooms — or almost any room of the home.

They're engineered for fast installation and long, trouble free life — easy to order in flexible arrangements to suit most installations.

ORDER COMPLETE SYSTEM




M-6511 WALL CONTROL AND MASTER DIMMING STRIP. Wall control mounts in standard switch box, has separate on/off switch. Controls the master strip included in this part number, plus 1 to 19 additional dimming strips (M-6512 below). 40W, rapid start, length 48".



M-6512 Dimming strip. Use from 1 to 19 with Master Control (M-6511 above). 40W, rapid start, length 48".

HOW TO ORDER:



Note to architects and contractors: Thomas Industries dimming developments are opening new horizons in both incandescent and fluorescent applications — all from a single wall control. Capacities are capable of handling auditoriums, amphitheatres, large general offices, complete floors of stores. Write for additional information and the latest Thomas Industries technical bulletins.

DECORATIVE WALL BRACKETS

*for entryways, halls,
dining areas*

M-821-1 Opal glass globe with curving support arm of rectangular tubing. Diameter 8", height 10½", extends 10" from wall. Polished brass trim. 1-100W.

M-821-7 Same with black trim.

M-821-8 Same with white trim.

M-1021 Fabric-patterned white bent glass. Polished brass trim, on/off switch. Height 7½", extends 4½" from wall, canopy 4½" square. 1-60W.

M-1032 Torche bracket. Etched crystal crackle glass, satin brass trim. Ht. 21", width 6", extends 9". 1-100W.

M-1166 White bent glass with gold beading. May be used horizontally or vertically. Polished brass trim, on/off switch. Width 6", length 17½". 2-60W.

M-1167 White bent glass with gold beading. Polished brass trim, on/off switch. Width 5", length 12", extends 4½" from wall. 1-60W.



M-753

DECORATIVE CEILING STYLINGS

M-741 Crystal glass jewel-box with polished brass trim. 10" square, 6¾" deep. Up to 4-40W candelabra base lamps.

M-742 Traditional antique brass Town-Crier lantern. Height 13", width 5¾", chain extends to 33"(*). 2-40W candelabra base lamps.

M-743 Formal lantern of amber hand-cut glass and polished brass trim. Height 13¾", diameter 11", length to 44"(*). 60W clear lamp recommended.

M-752 Formal chain-suspended lantern. Polished brass trim, amber glass diamond-patterned panels. Height 19½"; width 8¼", length to 39½"(*). Up to 4-40W candelabra base clear lamps.

M-753 Provincial lantern — antique copper with polished brass gallery and trim, clear glass panels. 8" square, height 18½", length to 38½"(*). Up to 4-40W candelabra base lamps.


M-770 Etched crystal crackle glass globe. Polished brass and walnut trim. Width 8¾", depth 8¾". 1-100W.

M-771 Traditional chain-suspended ball lantern. Etched crystal crackle glass, polished brass and fruitwood trim. Width 15", depth 15¾". 1-100W.

M-1155 Hand-cut crystal "brandy-snifter" design. Polished brass trim. Diameter 8¼", depth 12¼". Up to 3-40W candelabra base lamps.

M-1561 Bevel-edged crystal glass panels with etched "sheaves of wheat" design. Polished brass trim. Candle-type lampholders. Overall length with chain, 33½"(*), width 7½" square. Up to 2-40W candelabra base lamps.

(* All chains may be shortened by removing links.



M-741



M-770



M-771



M-1155



M-742




M-743



M-752




M-1561



M-739



M-778



M-1261-1



M-1261-3



M-754



M-1478

M-739 Satin brass shade over 7" opal ball. Shade diameter 12 $\frac{3}{8}$ ", depth 4". 1-60W.

M-754 White iced crystal glass diffuser and textured glass shade. Polished brass canopy. Diameter 10 $\frac{1}{4}$ ", depth 7 $\frac{1}{2}$ ". 1-75W.

M-778 Opal glass globe with textured clear glass shade. Pol. brass trim. Diffuser dia. 14", depth 7 $\frac{3}{4}$ ". 1-100W.

M-841 Frosted and clear cut-glass with slotted polished brass bands. Can be chain-suspended or mounted close to ceiling. Length with chain 40". 1-60W.

M-1261-1 Tapering downlights. Lens concentrates light. Polished brass. Length 7 $\frac{1}{2}$ ", dia. 5 $\frac{1}{2}$ ". 1-100W.

M-1261-3 Same except satin aluminum.

M-1425 Cordette. Plastic-bonded natural color "Whirlcord" shade, polished brass trim. Diameter 16", depth 7". 3-60W. (Matching pulldown Page 13.)

M-1456-14 Traditional metal shade, white glass diffuser. Antique copper. Dia. 14", depth 6 $\frac{1}{2}$ ". 2-60W.

M-1456-20 Same except antique white, brass trim.


M-1457-14 Traditional metal shade of antique copper. Bent white glass diffuser. Dia. 17", depth 6 $\frac{3}{8}$ ". 3-60W.

M-1457-20 Same as M-1457-14 except antique white with brass trim.

M-1478 White patterned textured glass shade. White ceramic glass diffuser, polished brass trim. Dia. 19", depth 7 $\frac{3}{8}$ ". 3-75W. (Matching item Page 13.)

M-1910 Hand-blown, etched crystal crackle globe. Satin brass finish. Depth 10 $\frac{3}{4}$ ". 1-150W.

M-4090 Geometric gold designs on white glass shade. Polished brass trim. Dia. 20 $\frac{1}{2}$ ", depth 6 $\frac{1}{2}$ ". 4-60W.



M-4090



M-841



M-1910



M-1425 Cordette



M-1456-14

M-1456-20



M-1457-14

M-1457-20

DECORATIVE CEILING STYLINGS

M-728 Compact ceiling styling. 8" frosted bowl, cut-glass design. Converts to pull-chain. Polished brass trim. Depth 4¾". 1-60W.

M-730 Same except dia. 10", depth 5". 2-60W.

M-738 Opal glass ceiling styling. Converts to pull-chain. 8" diameter, depth 4¾". 1-60W.

M-740 Same except dia. 10", depth 5". 2-60W.

Stylized Drum Series. For kitchen, halls, bath, utility rooms. Perforated holders, molded white glass diffusers. Satin metal finishes.

8¾" diameter group — depth 3¾". 1-100W.

M-744-1 Brass. **M-744-2** Copper. **M-744-3** Aluminum.

11" diameter group — depth 3". 1-150W.

M-745-1 Brass. **M-745-2** Copper. **M-745-3** Aluminum.

Contemporary Drum Series. Hand-blown, satin opal glass. For kitchens, hall, utility rooms, many other applications.

10½" diameter pair — depth 5". 2-60W.

M-746-1 Satin brass trim. **M-746-2** Satin copper trim.

12½" diameter pair — depth 5½". 3-60W.

M-756-1 Satin brass trim. **M-756-2** Satin copper trim.

17" diameter pair — depth 6". 4-60W.

M-757-1 Satin brass trim. **M-757-2** Satin copper trim.

M-4062-1 Perforated metal shade, circle-decorated bottom glass. Satin brass finish. Dia. 16", depth 6". 3-60W.


M-4062-8 Same except white finish, chrome trim.



Stylized Drum Series



Contemporary Drum Series



DECORATIVE CEILING STYLINGS

M-716 Delicately designed, frosted glass drum. Polished brass trim, converts to pull-chain. Diameter 6½", depth 4¾". 1-60W.

M-815 Clear hobnail glass. Brass trim. Diameter 5", depth 6¾". 1-60W.

M-1575 Spiralite Perforated satin copper. White ceramic decorated glass. Diameter 11¾", depth 5". 2-60W.

M-4050 Translucent, plasticized woven wood and fabric panels, polished brass trim. White bottom glass. 15" square, 6" deep. 4-60W.

Square Drum Series. Perforated, metal holders, molded white frosted glass diffusers. Depth 4".

8½" square — 1-100W.

M-4078-1 Pol. brass. **M-4078-2** Pol. copper.
M-4078-4 Chromium.

12½" square — 4-40W.


M-4080-1 Pol. brass. **M-4080-2** Pol. copper.
M-4080-4 Chromium.

16" square — 4-60W.


M-4086-1 Pol. brass. **M-4086-2** Pol. copper.
M-4086-4 Chromium.



M-716



M-1575 Spiralite



M-4050



M-815




M-4078-4

M-4078-2

M-4078-1

Square Drum Series



M-4080-4

M-4086-4

M-4080-2

M-4086-2


M-4080-1

M-4086-1

ALL-PURPOSE LIGHTING


to brighten your every task

Household tasks finish a lot easier with plenty of light to brighten the work. Over laundry appliances, in work shops, kitchen or dinette, these fixtures provide the high light level needed and give a decorative touch at the same time.



M-458

M-460




M-426

M-428

M-430

M-432

*Modern Drums
with bottom lenses*



M-4072-2

M-4072-4

Modern Drums

For kitchen or utility use. Seared edges for extra strength. Converts to pull-chain. Four sizes in chrome trim.

M-426 Glass diameter 6½", depth 5". 1-60W.

M-428 Glass diameter 8", depth 5¾". 2-60W.

M-430 Glass diameter 10", depth 6". 2-75W.

M-432 Glass diameter 12", depth 6". 3-60W.

M-458 Shallow glass design. Concentric ribbing on clear glass, chromium trim. Converts to pull chain. Diameter 8", depth 4½". 1-60W.

M-460 Same as M-458 except diameter 9¾", depth 4¾". 2-60W.

M-4072-2 Compact square, satin copper. White bottom glass. 14" square, depth 6¾". 4-60W.


M-4072-4 Same, except chromium finish.



Overall room lighting from one M-412 drum (Page 40) . . . two M-1261-3 cones (Page 36) downlight the appliances, supplemented by M-314 wall light (Page 81) under the cabinet.



M-343



M-354



M-401

M-402

ALL-PURPOSE LIGHTING



M-406-4

M-406-14



M-408-4

M-408-14



M-410-4


M-410-14



M-412-4

M-412-14

Classic Drum series



M-414



M-416

Ceiling-centered M-720 styling sweeps room with general light . . . M-6623 recessed unit (Page 73) downlights important work area at sink . . . suspended over counter, three M-1434-16 pendants (Page 46) concentrate light over serving area . . . M-1459-7 pulldown (Page 12) brightens dining area.

M-343 Portable under-cabinet light. White, translucent plastic diffuser, push-type switch, grounded convenience outlet. 6' extension cord for mounting wherever desired. Length 12¼", width 5", depth 1". 1-8W fluorescent lamp included.

M-354 Adjustable mounting for vertical or horizontal outlet. Ribbed plastic diffuser, white enameled metal trim. Switch and grounded convenience outlet. Length 25¼". height 4½", extends 4¾". 1-20W fluorescent.

M-401 Finished in satin aluminum with hand-blown, satin opal glass. Opal glass shade pulls down easily for relamping. Overall depth, 5¾", 9" square. 2-60W.

M-402 Same as M-401, but larger. Depth 5¾", 12¾" square. 2-100W.

Classic Drum Series in six sizes. White opal glass, seared edges for added strength. Easily convert to pull-chain.

M-406-4 Chromium 7" dia., depth 4¾". 1-60W.

M-406-14 Same as M-406-4 except antique copper.

M-408-4 Chromium 8½" dia., depth 5¼". 2-60W.

M-408-14 Same as M-408-4 except antique copper.

M-410-4 Chromium 10½" dia., depth 5½". 2-75W.

M-410-14 Same as M-410-4 except antique copper.

M-412-4 Chromium 12½" dia., depth 5½". 3-60W.

M-412-14 Same as M-412-4 except antique copper.

M-414 Chromium 14" dia., depth 5¾". 3-75W.

M-416 Chromium 16" dia., depth 5¾". 3-100W.

Tapered white glass, waffle pattern on clear glass bottom lens. Chrome canopy.

M-653 Depth 7¾", width across corners 7½". 1-100W.

M-654 Depth 8¾", width across corners 9½". 1-150W.

M-720 Sweeping styling for unobtrusive, yet dramatic lighting. Ideal for general illumination of large areas. Large 21¼" white glass diffuser mounts flush to ceiling. White metal trim. Total diameter 21", depth 5½". 4-60W.



M-653

M-654



M-720





FURNITURE BY HERITAGE

Petite M-1471 eight-light miniature cluster swirls over table; a dimmer sets the mood (Page 32)... pair of M-1498 pendants (Page 46) downlight reading area... dramatic accent from M-6020-8 recessed fixtures (Page 75).

◀ **M-1471** Petite, colored flowers of light. Eight pastel textured glass shades, 2 each of white, yellow, blue and green — suspended from 12½" diameter satin brass and white ceiling canopy. Longest cord extends to 53". Spread 14½". 8-25W M-1906 candelabra base lamps included.

a panorama of **CLUSTERS** and **PENDANTS**

Clusters and pendants add a smart decorator touch and useful light source to any room. Try the glow of a solitary pendant to glamorize your entry hall — or hang three in a row above the planter — use a cluster to downlight a furniture grouping.

Shown here are complete clusters — but you can create your own cluster with single pendants and a spreader (Page 44). Heighten that effect by controlling the light with an electronic dimmer (Page 32).


M-1470 Six tiny crystal-crackled etched glass globes spiral upward on ever-shortening cords. 12½" diameter satin brass and white canopy; black metal glass holders. Longest cord extends 44". Spread 14½". 6-25W, M-1906 candelabra base lamps included.

M-1448 Satin brass columns enfold hand-blown, opal glass shades. Each pendant 6" diameter, 21" long(*). 3-75W.


M-1449 Modern, vertical design in satin brass and crackled crystal. Produces effective downlighting with subtle sidelighting. Overall dimension with spreader 14½"(*). 3-60W.

M-1527 Slim, sleek design for traditional or modern decor. Hand-blown, satin opal glass. Very effective with colored lamps. Each fixture 16" long(*), 4½" in diameter. Overall diameter 20". 3-60W.


(* All pendants extend to approximately 60" overall. For custom commercial applications fixtures can be ordered with longer cords.



M-1448



M-1449




M-1527



M-1470





Walnut and brass spreader kits, to create circular pendant clusters. Includes polished brass canopy, solid walnut arms with brass fingers.

M-1410 Three arms, spread 24½".


M-1416 Six arms, spread 36". **M-1418** Eight arms, spread 36".



M-1412 "Triangular" polished brass spreader kit. Converts 3 pendants into triangular cluster. Consists of canopy and spreader insert. Spread 13".




M-1413 "Three-in-line" polished brass spreader kit. Includes canopy and spreader insert. Spread 22".



M-1420 Two-in-line walnut and brass spreader kit. Converts 2 pendants to modern "in-line" cluster. Includes polished brass canopy and spreader bar. Spread 18".



M-1422 Walnut and brass three-in-line spreader kit. Graceful walnut insert links 3 pendants into charming in-line cluster. Includes polished brass canopy and spreader bar. Spread 30".



M-1033 Wall bracket kit. Practical new bracket converts any pendant into a wall-mounted styling. Ideal beside mirrors, above buffet, over occasional tables. Fits any standard wall outlet box. Consists of polished brass canopy and arm. Height 6¼", width 3¾", extends 9". (Shown with M-1451 pendant, not included.)

M-1404 Circular ceiling canopy. Circle of light in round, 3-pendant cluster in satin brass and white. Spread 12½". (Shown with three M-2140 pendants, not included.)






M-1419

Tremendously flexible, wide-reach decorator spreader kit. Converts multiple pendants into dramatic line, square, circle, rectangle, diamond or star — whatever pattern you want. Perfect for large dining areas, open stairwells. Hang pendants on one level, multiple levels or in graduated spiral. Canopy cover diameter 10", satin brass finish; knobs rubbed walnut. All pendants extend approximately 60" overall. If more length is desired, fixtures can be ordered with longer cords. (Shown with M-1434 pendants, not included.)

M-1415 Kit for 16-pendant cluster.

M-1419 Kit for 8-pendant cluster.



M-1415

CREATE YOUR OWN CLUSTERS

with versatile spreader kits

*from Moe Light's
Pendant Panorama*

Clusters are perfect as room dividers or as accents over counters and tables. Clusters lend new decorative beauty to room corners — above your planters. They add dramatic notes of light and color. Application is as varied as your imagination.

Creating a dramatic cluster from your own choice of Moe Light pendants is really quite simple:

1. Pick the pendant style or variety of styles you want.
2. Choose the spreader kit to fit your imagination — and your decorative need.
3. For installation, all you need is an outlet box, a screwdriver and a few minutes. The complete instructions tell you exactly how to do it. Then, your "custom cluster" is ready to light.



M-1434-7



M-1434-16



M-1434-18



M-1441



M-1442



M-1444

PENDANT PANORAMA



All pendants extend to approximately 60" overall. For custom commercial applications, fixtures can be ordered with longer cords.

M-1434-7 Flowing lines of modern sculpture. Polished brass collar, black shade. Ht. 10", diameter 6½". 1-60W.

M-1434-16 Same except burnt orange shade.

M-1434-18 Same except cocoa shade.

M-1441 Hand-blown, crystal-crackle glass and satin brass. Chic downlight, with smart sidelighting effects. Height 20", diameter 3½". 1-60W.

M-1442 Same except smoked crackle glass.

M-1444 Satin brass spire over hand-blown satin opal glass. Height 21", diameter 6". 1-75W.

M-1445 Chain pendant accent from the Far East. White, glazed porcelain with polished brass canopy and chain. Diameter 10½". Up to 1-100W.

M-1451 Crystal-ice outer cone over hand-blown opal glass. Polished brass trim. Height 13", dia. 5". 1-60W.



M-1498



M-1517



M-2190



M-2191



M-2210




M-1445



M-1451



M-1464



M-1472



M-1497

M-1464 Inspired chain pendant with Italian flair, Graceful black porcelain wire frame, hand-blown opal glass. Includes 3' chain. Height 13", diameter 11". 1-100W.

M-1472 Delicately proportioned white glazed porcelain cylinder, hand-pierced in lacework pattern. Height 12½", diameter 4¾". 1-75W (or showcase).

M-1497 Smoked fluted glass globe, opal glass inner cylinder. Antique bronze trim. Includes 3' of chain. Height 21", diameter 10". 1-150W.

M-1498 Glowing satin copper with colorful jewel-like porcelain enamel insets. Height 11", diameter 5". 1-100W.

M-1517 Gracious teardrop of hand-blown, satin opal glass crowned with polished brass. Height 15", diameter 4¼". 1-60W.

M-2190 Hand-blown iced crystal glass over hand-blown opal liner. Brass trim. Height 14½", diameter 10". 1-60W.

M-2191 Hand-blown etched crystal-crackle inner glass with smoked outer glass. Polished brass trim. Height 15½", diameter 7". 1-60W (or showcase).

M-2210 Radiant, hand-blown etched crystal-crackle glass. Includes 3' of chain. Satin brass trim. Dia. 10". 1-150W.

M-3006 Natural honeycomb. Opal glass diffuser, satin brass trim. Diameter 6". 1-60W.

M-3008 Natural honeycomb over opal glass. Satin brass trim. Diameter 18". 1-100W.

M-3012-29 Emerald-blue cone. Opal glass diffuser, polished brass trim. Shade diameter 18". 3-60W.


M-3012-30 Tangerine-gold cone. Opal glass diffuser, polished brass trim. Shade diameter 18". 3-60W.

M-3018-29 Emerald-blue pendant. Opal glass diffuser, polished brass trim. Diameter 6". 1-60W.


M-3018-30 Tangerine-gold pendant. Opal glass diffuser, polished brass trim. Diameter 6". 1-60W.



M-3006



M-3012-29



M-3012-30




M-3018-29



M-3018-30



M-3008



M-1462



M-1625-8



M-1625-22



M-1625-23



M-1625-24



Opal
Cylinder
Series



M-2140



OLD WORLD CRAFTSMANSHIP *preserved...*

The blending of Moe Light's own glass blowing techniques and imaginative design, has created the spectrum of beautiful colors and textures of glass presented in this *panorama of pendants*. The ancient art of hand-blown glass... reminiscent of old Venice... is carefully and delicately preserved. Old world craftsmanship attuned to today's age and tomorrow's world.

All pendants extend approximately 60" overall. For custom commercial applications, fixtures may be ordered with longer cords.

M-1462 Polished wire cage with opal center glass. Dia. 18½", Ht. 10½". 1-100W.

M-1625-8 Translucent white fiberglass, covered with sparkling white glitter. Walnut wood holder, white canopy. Ht. 16". 1-60W.

M-1625-22 Same except fuchsia glitter.

M-1625-23 Same except tweed glitter.

M-1625-24 Same except blue-mist glitter.

Opal Cylinder Series Sleek styling in opal glass. Satin brass trim.

M-2112 Ht. 12", dia. 4½". 1-100W.

M-2116 Ht. 16", dia. 4½". 1-150W.

M-2120 Ht. 20", dia. 4½". 1-150W.

M-2128 Ht. 18", dia. 6". 1-200W.

M-2140 Sparkling fluted crystal glass cylinder. Polished brass canopy. Ht. 15", dia. 4½". 1-75W.

M-2141 Sparkling fluted crystal inner glass with smoked outer glass. Polished brass canopy. Ht. 15", dia. 8". 1-100W (or showcase).




M-2156-8




M-2156-10



M-2156-33



M-2156-40



M-2159-10



M-2159-11



M-2159-31



M-2160



M-2161



M-2150-10 Candy-striped turquoise and crystal outer glass with opal inner glass cone. Ht. 12", dia. 7". 1-60W.

M-2150-11 Same except ruby red stripe.

M-2150-33 Same except yellow stripe.

M-2153-10 Swirl inner opal glass with turquoise outer glass. Polished brass canopy. Ht. 12", dia. 6½". 1-60W.

M-2153-11 Same except red outer glass.

M-2153-32 Same except smoked outer glass.

M-2156-8 Tear drop shape in satin white glass. Satin brass canopy. Ht. 11", dia. 5". 1-60W.

M-2156-10 Same except satin turquoise.

M-2156-33 Same except satin yellow.

M-2156-40 Same except satin coral.

M-2159-10 Vase-shaped turquoise glass with crystal beading inside. Polished brass canopy. Ht. 18", dia. 5¾". 1-60W.

M-2159-11 Same except burgundy red.

M-2159-31 Same except amber.

M-2160 Opal inner glass with fluted amber outer glass. Satin brass trim. Ht. 13", dia. 9¾". 1-60W.

M-2161 Graceful decanter style blue glass with opal inner glass. Brass trim. Ht. 14", dia. 8½". 1-60W.

M-2162 Opal inner glass with brass trim, flared amber outer glass. Ht. 14½", dia. 5½". 1-60W.

M-2163 Swirl blue glass with a cone of opal inner glass. Brass trim. Ht. 13½", dia. 5". 1-60W.

M-2170-11 Ruby red outer glass with embedded crystal glass chips over a cylinder of white opal. Polished brass canopy. Ht. 10½", dia. 7½". 1-60W.

M-2170-31 Same except amber outer glass with crystal chips.

M-2170-35 Same except crystal glass with crystal chips.

M-2174-38 Embedded blue, green and opal chips in crystal glass over opal cylinder. Polished brass trim. Ht. 10½", dia. 7½". 1-60W.

M-2174-36 Same except red, amber and opal chips.



M-1620-22

M-1621-8

M-1621-23

M-1621-24

M-1620-8

M-1620-24

M-1620-23

M-1621-22

PENDANT PANORAMA



All pendants extend approximately 60" overall. For custom commercial applications fixtures may be ordered with longer cords.

Fantasy sphere pendants. Glittering spheres of translucent white fiberglass accented with sparkling colored glitter. All have white trim and use 1-100W. Available in 3 sizes.

10½" diameter sphere.

M-1620-8	White.	M-1620-23	Tweed.
M-1620-22	Fuchsia.	M-1620-24	Blue Mist.

12½" diameter sphere.

M-1621-8	White.	M-1621-23	Tweed.
M-1621-22	Fuchsia.	M-1621-24	Blue Mist.

16" diameter sphere.

M-1622-8	White.	M-1622-23	Tweed.
M-1622-22	Fuchsia.	M-1622-24	Blue Mist.

M-1622-8

M-1622-22

M-1622-23

M-1622-24

Opal Sphere...

COMPLETE WITH STEM AND CANOPY

M-1048 This pure opal glass sphere is ideal for kitchen, dining area or entry hall. Packed complete: 10" dia. opal sphere; two stems 1-22" long, the other 2 3/8" long. Hangs straight; swivel canopy. Satin brass finish; up to 1-150W.



LONG OVAL



FLAT OVAL



ETCHED
CRYSTAL-CRACKLE
SPHERES



OPAL SPHERE

STEMS and GLASS for custom combinations

STEMS, CANOPIES AND CLOSE-TO-CEILING MOUNTINGS

NOTE: Order stems and canopies separately from glass.

Swivel stems and canopy

Two stems included, one 18", the other 2 3/8". For 10", 12" glass spheres and long oval M-2105.

M-1911-1 Satin brass.

M-1911-3 Satin aluminum.

M-1911-8 White.

For 14", 16" glass spheres.

M-1912-1 Satin brass.

M-1912-3 Satin aluminum.

M-1912-8 White.

Rigid stems and canopy

Two stems included, one 18", the other 2 3/8". For M-2107 flat oval glass.

M-1913-1 Satin brass.

M-1913-3 Satin aluminum.

M-1913-8 White.

Close-to-ceiling mountings

For 10", 12" glass spheres.

M-1915-1 Satin brass.

M-1915-3 Satin aluminum.

M-1915-8 White.

For 14", 16" glass spheres.

M-1916-1 Satin brass.

M-1916-3 Satin aluminum.

M-1916-8 White.

HAND-BLOWN OPAL; ETCHED CRYSTAL-CRACKLE GLASS

NOTE: Order glass separately from stems, canopies and close-to-ceiling mountings.

Satin Opal glass spheres

M-2100 10" diameter. 1-150W.

M-2102 12" diameter. 1-200W.

M-2104 14" diameter. 1-300W.

M-2106 16" diameter. 1-300W.

Satin Opal glass long oval

M-2105 10" diameter. 1-200W.

Satin Opal glass flat oval

M-2107 18" diameter. 2-150W.

Etched Crystal-crackle spheres


Delicate, hand-blown, etched design, for use with stems or close-to-ceiling mounting.

M-2101 10" diameter. 1-150W.

M-2103 12" diameter. 1-200W.

HOW TO ORDER: Order one stem and canopy or close-to-ceiling mounting for the size, shape and finish globe you want. Order the globe as a separate item. When the individual pieces arrive, it is a matter of a few minutes to assemble the finished styling.

M-4021 Elegant simplicity in white and brass. White glass diffuser supported by polished brass rods and walnut center column. Diameter 19½", 6¾" deep. 4-60W.



M-214



M-4006



M-4019

M-214 Graceful gold berry design on frosted glass diffuser. Brass knob and canopy. 14½" sq., 4¾" deep. 4-60W.

M-4006 Delicate gold line pattern on white glass. Brass trim. 16" square, 5½" deep. 4-60W.

M-4019 Demure pink ice sprig and dot design on white diffuser. Polished brass knob, white canopy. Diameter 15", 6" deep. 4-60W.

M-4021 decorative glass styling provides the overall general room lighting, while two M-2174-38 pendants (Page 49) provide localized lighting for the mirror. M-99 (Page 75) built-in unit brings out texture of the draperies.






M-4029



M-4033




M-4035



M-4040



M-4044



M-4049

Add convenient general illumination with glamor... **DECORATIVE GLASS**

*Bedrooms, dinettes, kitchens, bath and family rooms are ideal applications
for the good overall lighting of decorative glass. And here's a hint:*

larger fixtures make small rooms seem larger, so choose an ample size.

M-4029 Linen textured design decorative glass with polished brass scroll supporting arms and canopy. 19" square, 6½" deep. 4-60W.

M-4033 Golden *fleur-de-lis* on a white field. Satin and polished brass trim. 17½" square, 5¾" deep. 4-60W.

M-4035 Radiant lines on white glass. Polished brass knob, satin brass canopy. 14" square, 5½" deep. 2-60W.

M-4040 Stylized gold leaves on crystal glass surrounding an inner white glass diffuser. Polished brass knob and canopy. Diameter 19", 5½" deep. 4-60W.

M-4044 Prim polka dot fantasy on delightful frosted glass. Polished brass knob, satin brass canopy. 16" square, 5½" deep. 4-60W.

M-4049 White diffuser with fluted crystal glass edging. Polished brass knob and canopy. Dia. 21", 6" deep. 4-60W.



M-260



M-1077



M-1081



M-1082

M-260 Tasteful combination of white glass and brass trim. Clear spiral-line design in diffuser. Diameter 12½", 5¼" deep. 2-60W.

M-1077 Clear etched lines on white glass. Brass knob and canopy. 14" square, 4¾" deep. 2-60W.

M-1081 Frosted glass diffuser adorned with sparkling clear-line lattice design. Brass knob and canopy. 12" square, 5½" deep. 2-60W.

M-1082 Soft linen design on contoured glass. Brass knob and canopy. 14" square, 5" deep. 2-60W.



M-1085



M-4001



M-4004



M-4013



M-4025



M-4037



M-1018



M-1022



M-4039



M-4066

M-1018 Simplicity in satin brass and white bent glass. Diameter 15", length to 24". May be shortened by removing chain links. 4-60W.

M-1022 Gold beading and trim on white glass. Louvered downlight in bottom center. Satin brass trim. Diameter 22", length 17". 3-100W and 1-60W.

M-1085 Fresh textured fabric pattern. Brass knob and canopy. 17" square, 5½" deep. 4-60W.

M-4001 Delicate gold snowflake design on white glass. Brass knob and canopy. 12" square, 4¾" deep. 2-60W.

M-4004 Gold-beaded floral spray and brass-trimmed edges on white glass diffuser. Brass knob and canopy. 14" square, 5" deep. 2-60W.

M-4013 White floral design on white glass diffuser shows when lighted, disappears when not lighted. Brass knob and canopy. Diameter 14", 5" deep. 2-60W.

M-4025 Clear glass lines radiate from the brass knob of this white glass fixture. Dia. 15½", 5" deep. 3-60W.

M-4037 Gold-beaded design and decorative gold edge on a white glass diffuser. Brass knob and canopy. Diameter 13⅝", 5½" deep. 3-60W.

M-4039 Simple elegance in frosted white glass with decorative gold edge. Brass knob and canopy. Diameter 18", 7½" deep. 4-60W.

M-4066 Trim, balanced lines for bedroom, kitchen or family room. Metal hood directs light downward. Brass trim. Diameter 16", 5" deep. 2-60W.

Add convenient general illumination with glamor ... **DECORATIVE GLASS**

free your imagination

OUTDOORS

*Rustproof Moe Light outdoor fixtures
give you design freedom,
combined with permanent quality.*

Outdoor lighting adds a touch of true hospitality to your home — and safety, too. Post lanterns not only brighten walk and drive, they turn your patio into an extra living room in summer. Coach lanterns are perfect for illuminating doorways; and don't overlook the garage doorway or the rear door. In the roof overhang, recessed downlights bring out the beauty of wall texture and illuminate landscaping, too. And for a dramatic effect, control the intensity of your patio and garden lighting with a Thomas Industries electronic dimmer.



M-823 Charming Early American post lantern with clear glass panels, frosted glass chimney. Black metal parts are aluminum. 8½" square, 14¾" high. 1-100W.

M-844 Black post lantern with frosted glass chimney behind clear glass panels. Solid brass ornament. Ht. 19¼", 9½" sq. 1-100W.

Authentic Federalist coach lantern reproductions. Three finishes, each with cast brass eagle and polished brass trim. Amber glass diamond patterned panels. Height 19½", 8" square. 1-100W clear lamp. (See page 62 for matching brackets.)

M-852-7 Black finish.

M-852-8 White finish.

M-852-14 Antique copper finish.

M-1804 Exciting contemporary post lantern. Black metal hood and post holder, polished solid brass support arm and top knob. White opal glass diffuser. Height 15¾", diameter 16". 1-150W.

M-1805 Traditional lantern finished in satin black and brass. Hand-blown clear crystal and satin crystal glass. Height 19", width 10¾". 1-300W.

See next page for lantern posts.



M-823



M-844

M-852-7



M-852-8



M-1805



M-1804



M-852-14

M-1804 post lantern welcomes guests to contemporary entry... M-836 (Page 63) wall bracket beside door... M-1003-1 (Page 66) "bullet" and M-5662 recessed (Page 75) downlights call attention to architectural accents and planter.



M-824



M-825



M-826




M-1830

Suburban Series



M-1831



M-1832



M-908




M-905




M-901



M-913-7




M-923



M-910


OUTDOOR



M-877-1

M-877-7

Ceiling Series




M-879-1

M-879-7



M-888



M-882



M-1853



M-853

M-824 Black post lantern with interlocking, clear lines on white glass panels. Cast brass eagle. 8½" square, 12½" high. 1-75W.

M-825 Ceiling styling. Interlocking clear lines on white glass panels. Black finish. 8½" square, 9½" deep. 1-75W.

M-826 Matching bracket of M-824 and M-825. Height 10½", 8½" square, extends 9½". Cast brass eagle ornament. 1-75W.

M-853 Handsomely styled contemporary post lantern. Hand-blown opal glass bowl and black shade with solid brass trim. Height 11½", shade dia. 20". 1-150W.

Ceiling Series. Solid aluminum. Frosted glass panels, brass rods. 3¾" deep.

8" square, 1-60W.

9¼" square, 2-60W.

M-877-1 Anodized brass.

M-879-1 Anodized brass.

M-877-7 Black.

M-879-7 Black.

M-882 Spiraled glass styling in polished, solid brass. Height 7¼", diameter 4¾", extends 6". 1-75W.

M-888 Traditional—black aluminum, amber glass panels. Polished brass knob. 10" square, 6¾" deep. 2-60W.

Suburban Series. Slender anodized aluminum support arms. Black finish. White plastic diffuser. 1-150W.

M-1830 Bracket. Height 17", diameter 20", extends 21".

M-1831 Low post lantern. Height 13¾", diameter 20".

M-1832 Soaring post lantern. Height 27¾", diameter 20".

M-1853 Black shade and hand-blown opal glass diffuser. Black supporting arms, solid brass trim. 11" high, 16" dia. 1-150W.

Order Moe Light Posts Separately

Moe Light posts fit all Moe Light lanterns. Posts are drilled for M-908 identification boards.

M-901 Black, lattice-style wrought iron. 82" overall.

M-905 Black fluted, one-piece post. Overall height 84".

M-908 Solid redwood identification board. Black steel brackets. Fits all Moe Light posts.

M-910 Black steel post. Overall height 84".


M-911-7 Black Fluted one-piece post with built-in photo-electric control; turns light on at sundown, off at dawn. Weather-proof grounded convenience outlet. Ht. 84".

M-911-8 Same as above except white.

M-913-7 Black post, adjustable from 72" to 84" overall height. Grounded convenience outlet 8" from top of post.

M-914 Adapter attaches lanterns to any wooden post or other pedestals. Aluminum, black finish.

M-923 "Light Command Post"—photo-electric control turns light on at sundown, off at sunrise. Can control additional lanterns up to 300W. Can be controlled by regular switch. Grounded convenience outlet. Adjusts 72" to 84".



M-914

M-911-7

M-911-8

M-810-1



M-810-7

M-810-8

M-812-1



M-812-7

M-812-8

M-811-1



M-811-7

M-811-8



M-813-7

M-833-1



M-833-7



M-834-7



M-830-7



M-832-8



OUTDOOR



Moe Light's charming Coach Lantern Family. All with polished brass trim, beveled, crystal-clear glass panels.

Wall brackets

13 $\frac{3}{4}$ " high, 5 $\frac{1}{4}$ " square, extends 5 $\frac{3}{4}$ ". 1-60W.

M-810-1 Brass. **M-810-7** Black. **M-810-8** White.

16 $\frac{3}{4}$ " high, 6 $\frac{1}{4}$ " square, extends 7". 1-75W.

M-811-1 Brass. **M-811-7** Black. **M-811-8** White.

21" high, 8" square, extends 8 $\frac{3}{4}$ ". 1-100W.

M-812-1 Brass. **M-812-7** Black. **M-812-8** White.

M-813-7 26" high, 10" square, extends 10 $\frac{1}{2}$ ". Black finish. 1-100W.

31" high, 11" square. 1-100W.

M-1803-7 Black. **M-1803-8** White.

Ceiling stylings

M-830-7 Black. 6 $\frac{1}{4}$ " square, height 9 $\frac{1}{2}$ ". 1-75W.

M-832-8 White. 8" square, height 11 $\frac{1}{4}$ ". 1-75W.

Chain-suspended stylings, 8" square, length to 27 $\frac{1}{4}$ ". May be shortened by removing links. 1-75W.

M-833-1 Brass. **M-833-7** Black.

M-834-7 Chain-suspended styling. Black, 10" sq., length to 30 $\frac{1}{2}$ ". May be shortened by removing links. 1-100W.


Post lanterns

18 $\frac{3}{4}$ " high, 10" square. 1-150W.

M-1823-1 Brass. **M-1823-7** Black.

M-1823-8 White.

See page 58 for posts.



Moe Light's Coach Lantern Family... M-1823-7 lantern on M-905 post (Page 58) sheds glow to planter... two M-811-7 (Page 60) brackets brighten doorway and stoop.


Outdoor Wall Brackets



M-821-1

M-821-7

M-821-8



M-822-7

M-822-8

M-822-12



M-851-7

M-851-8

M-851-14



M-856



M-809

M-809 The glow of etched white opal glass in a contemporary wall bracket. Black aluminum top. Height 9", width 11 $\frac{3}{8}$ ", extends 4 $\frac{1}{2}$ ". 1-100W.

Opal glass globe with curving support arm of rectangular tubing. 8" diameter opal glass globe. Height 10 $\frac{1}{2}$ ", extends 10". 1-100W.

M-821-1 Brass.

M-821-7 Black.

M-821-8 White.

Traditional Town Crier lantern. Clear glass panels. Height 13", width 5 $\frac{3}{4}$ ", extends 6 $\frac{1}{4}$ ". 1-40W clear flame lamp.

M-822-7 Black.

M-822-8 White.

M-822-12 Antique brass.

Authentic Federalist coach lantern reproductions. Three finishes, each with cast brass eagle and polished brass trim. Amber glass diamond patterned panels. Height 17", 8" square, extends 9". 1-100W clear lamp. (See Page 57 for matching post lantern.)

M-851-7 Black.

M-851-8 White.

M-851-14 Antique copper.

M-856 Modern ship's lantern wall bracket in black finish. White frosted glass diffuser. Height 7 $\frac{3}{8}$ ", width 8 $\frac{5}{8}$ ", depth 4 $\frac{3}{8}$ ". 1-100W.

Striking contemporary lantern series. Clear amber cut-glass shows delicate diagonal design. Polished brass arm, trim. Height 16 $\frac{1}{2}$ ", diameter 11", extends 13 $\frac{1}{2}$ ". 1-100W clear lamp.

M-862-7 Black shade and canopy.

M-862-8 White shade and canopy.

M-862-14 Antique copper.



M-862-7

M-862-8

M-862-14

Wall Lanterns and Brackets




M-836



M-865-1

M-865-7



M-869-7



M-871



M-858



M-859



M-870



M-872

M-836 Crystal crackle etched glass globe topped by black holder with brass trim. Height 23", width 6", extends 9". 1-100W.

M-858 Opal glass diffuser with polished solid brass arm of rectangular tubing, black canopy and shade. Height 8¼", dia. 8", extends 9⅝". 1-100W.

M-859 Pol. solid brass bottom band, rods and topknob. Black with crystal clear glass and white candle. Ht. 10¾", width 7¾", extends 5¼". 1-40W clear flame lamp.

M-865-1 Transitional style of textured glass, anodized brass finish and trim. Height 8", width 7½", extends 5¾". 1-75W.

M-865-7 Same except black finish.

M-869-7 Smart clear striping on white glass. Black finish. Height 11¼", width 7½", extends 4½". 1-75W.

M-870 Tapered white glass with vertical brass anodized bars. Black shade of non-corrosive molded material. Height 7¼", width 9¾", extends 4½". 1-60W.

M-871 Clear "waffle-pattern" glass. Black finish, pol. brass trim. Ht. 9½", width 8½", extends 5". 1-100W.

M-872 Black with pol. brass trim. White frosted glass shade. Height 8½", width 5", extends 6¼". 1-75W.

M-873 Satin, etched crackled crystal glass, cast brass eagle. Black finish. Ht. 15½", dia. 6", extends 7". 1-75W.

M-880 Spiral glass bracket. Antique copper. Height 7½", diameter 4¾", extends 6⅝". 1-75W.

M-881 Same except black finish, polished brass trim.

M-883-1 Lantern bracket with clear glass lens. Polished brass. Height 7", dia. 4½", extends 6". 1-75W.

M-883-7 Same except black finish.

M-893 Spiral design crystal glass on a graceful black spindle. Black shade and topknob. Polished brass trim. Height 15", width 5½", extends 6¼". 1-75W.




M-880

M-881




M-873



M-883-7

M-883-1



M-893

OUTDOOR

EXTERIOR DIE-CAST

Variety of sleek, modern ceiling and wall units


Molded contemporary design. Solid die cast aluminum with satin finish. Variety of opal glass shapes and wattages. Fit 3¼" or 4" outlet boxes.



M-874



M-875



M-876

M-874 Ceiling light. Height 7½", dia. 5". 1-100W.

M-875 Wall light. Height 6½", diameter 4½", extends 4½". 1-100W.

M-876 Double wall light. Height 4½", width 13", extends 4½". 2-100W. May be wired together or separately.


M-884 Wall light. Height 7½", width 6½", extends 7¼". 1-100W.

M-885 Ceiling light. Height 8½", width 6½". 1-100W.

M-886 Wall light. Height 7½", width 6", extends 7". 1-100W.

M-887 Ceiling light. Height 8½", dia. 6". 1-100W.

Weatherproof heavy gauge, solid aluminum reflectors, backplates, flood and spotlights



M-884



M-886



M-885



M-887

M-4915 Stake light. Length 13¼", dia. 3", stake 6½". Outlet for tandem installation. Die cast alum. 1-150W R-40 or PAR-38 lamp (not included).

M-4919 Black swivel reflector. Mounts to any holder or backplate. Satin aluminum and black finish.

M-4920 Satin aluminum holder and swivel only. Mounts to any holder or backplate.

M-4921 Weatherproof swivel flood or spotlight. Die cast solid aluminum. Attaches to outlet box or mounts to flat surface. Canopy 4½", socket housing 2¾", extends 6". Weatherproof gasket. 1-150W R-40 or PAR-38 lamp (not included).

M-4922 Same except two light. Spread 10¾".

M-4923 Same except three light. Spread 10¾".

M-4931 Backplate, die cast aluminum. For use with M-4919 and M-4920 reflectors. Diameter 4½", depth 1". Fits 3¼" or 4" outlet box. Black finish.

M-4932 Same except two light.

M-4933 Same except three light.

M-4941-7 Weatherproof, bell-shaped solid aluminum reflector. Attaches to outlet box or flat surface. Satin aluminum swivel, black reflector and backplate. Extends 11". Backplate dia. 4½", reflector dia. 6". 1-150W R-40 or PAR-38 lamp (not included).


M-4941-8 Same except white finish.

M-4942-7 Same as M-4941-7 except two light. Spread 20¾".

M-4942-8 Same as M-4941-8 except two light. Spread 20¾".



M-4915



M-4920



M-4921



M-4919



M-4922



M-4931




M-4932




M-4933




M-4941-7



M-4923



M-4941-8



M-4942-8



M-4942-7



M-803-3

M-803-7

Smart, sleek single spot or floodlight. Mounts on any flat surface, vertical or horizontal. 1-100W or 75W R-30 lamp.

M-803-3 Satin anodized aluminum.

M-803-7 Black on solid aluminum with copper trim.

Twin cone of light — spot or flood for under eaves or on walls. Solid aluminum. Spread 18". 2-100W or 75W R-30 lamps.

M-807-3 Satin anodized aluminum.

M-807-7 Black on solid aluminum with copper trim.



M-807-3



M-807-7

Single bullet for indoors or out. Anodized. Diameter 6¼", extends 12½". 1-150W R-40 lamp.

M-1003-1 Satin brass.

M-1003-3 Satin aluminum.

Strikingly-designed double bullet for indoor-outdoor use. Anodized. Spread 24", extends 12½". Each reflector diameter 6¼". 2-150W R-40 lamps.

M-1004-1 Satin brass.

M-1004-3 Satin aluminum.

Contemporary as today. Single bullet for indoor-outdoor use. Anodized. Reflector diameter 6¼", extends 11". 1-150W R-40 lamp.

M-1005-1 Satin brass.

M-1005-3 Satin aluminum.

Compact double bullet. For indoor-outdoor use. Anodized. Extends 11", spread 19½". Each reflector 6¼" diameter. 2-150W R-40 lamps.

M-1006-1 Satin brass.


M-1006-3 Satin aluminum.

OUTDOOR-INDOOR STYLES



M-1003-1

M-1003-3



M-1005-1

M-1005-3




M-1004-1



M-1004-3



M-1006-1



M-1006-3

DECORATIVE ACCENT LIGHTING

Use these stylings to dramatize furnishings, wall decorations and appointments. Outdoors, use them to bring out beauty of exterior walls and landscaping. The modern styling also makes them a decorative part of your home. Other bright uses: lighting stairs, halls, patios, game and family rooms.

INDOOR STYLES

Indoor single bullet. Reflector diameter 5", extends 8¾". On/off switch. 1-75W R-30 or 1-100W.

M-1001-1 Satin brass.

M-1001-3 Satin aluminum.

Decorative double bullet. Extends 8½". Each reflector 5" diameter. 3-way switch. 2-75W R-30 or 2-100W.


M-1002-1 Satin brass.

M-1002-3 Satin aluminum.

Textured cones of brown and ivory raffia laminated over translucent fiberglass, trimmed in attractive polished brass. Extends 10½".

M-1353 Single bullet. On/off switch. 1-100W.

M-1357 Double bullet. 3-way switch. 2-100W.



M-1001-1

M-1001-3



M-1002-1



M-1002-3



M-1353



M-1357

*Work easier
... more comfortably with*

PORTABLE WORK LIGHTS

*These work lights bring out the fine detail
in drawings, needlework, hobbies and crafts.
"C" brackets attach easily to edge of any
flat surface for quick, simple installation.
350° sweep of the arms for easy positioning.*

All work lights have 8' cords, on/off switches. Finished in desert tan. Lamps not included.

M-4970 8" diameter shade, incandescent light with 28" extension swing arm. 1-100W.

M-4971 8" diameter shade, incandescent light with 36" extension swing arm. 1-100W.

M-4972 18¾" long shade fluorescent light with 34" extension swing arm. 2-15W T8 fluorescent lamps.

M-4973 9¾" diameter shade round fluorescent light with 5" diameter 3-power magnification lens and 39" extension swing arm. 1-22W T9 round fluorescent lamp.



M-4970



M-4971



M-4972



M-4973

Versatile...decorative

PORTABLE LIGHTING

M-1305 Distinctive pole light, three hobnail opal glass student shades. Polished brass trim. Pole finished in black and brass, adjusts for 7'6" to 9' ceiling heights. Spread 15", 3-way switch. 3-100W.

M-1407 Three smart cones of textured brown and ivory raffia laminated over translucent fiberglass. Trimmed in polished brass. Pole finished in black and brass, adjusts for 7'6" to 9' ceilings. 3-way switch. 3-75W.


M-1433 Convenient push-button-adjustment wall bracket kit eliminates unsightly counterweights. Converts any Moe Light pulldown or pendant into a wall bracket. Simply remove canopy and reel, thread cord through bracket and attach to easily-wired splice compartment. Walnut wood and polished brass arm, backplate and splice compartment. 6' cord. Extends 13". Illustrated with M-1459-7, not included.

M-1670 Portable chain kit. Fits all Moe Light pulldown, cord and chain-hung fixtures. Consists of 12' of brass chain; 17' of cord. Satin brass splice compartment and two chain hooks; toggle bolt for plaster ceiling and screw type for wood installation. With switch. Illustrated with M-2210, not included.



M-1305

M-1407



M-1433

NO UNSIGHTLY
COUNTERWEIGHTS!

PUSH BUTTON
CONTROL!



M-1670



Family room extraordinaire! Smart M-638 (Page 72) walnut-trim recessed fixtures light ceiling center... M-6036 recessed wall wash units (Page 75) spotlight display shelves... two M-5662 (Page 75) dramatize planters suspended from recessed louvers.

*free your
imagination
with*
**BUILT-IN
LIGHTING**

Since recessed built-in lighting is concealed lighting (only the trim and glass shows, the housing being concealed in the ceiling) all you see is the effect which the light creates.

Built-in recessed fixtures give you three types of lighting: first, lighting for dramatic effects; second, lighting for specific areas or tasks; and third, general area illumination. Use built-in lighting to focus attention on special areas such as draped or textured walls, fireplaces, or to bring out the beauty of fine furnishings.

Let your imagination guide you. On the pages that follow you will find a variety of types and styles of built-in lighting to make every room in your home more beautiful, more functional. And for added effect and greater drama, don't overlook the advantages of adjusting the light intensity with a Thomas Industries dimmer. (See Page 32).



*A variety of built-in lighting styles to make your home
more beautiful and your living more comfortable*

1. Round drop opal. Diffuses light over wide area for general illumination. Some side light cast on ceiling. Space fixtures 7 to 10 feet apart. Also available in square drop opal.

2. Pin-Point Aperture. Concentrates light in small pattern for localized area. Ideal for highlighting sculpture, silver service, place setting.

3. Rectangular with Flat Alba-Lite glass. Ideal for hallway, recreation room. Good general illumination. Space fixtures 7 to 10 feet apart.

4. Wall wash light. Spreads even light across walls, murals, draperies. Mount 2 to 3 feet from wall and 4 feet apart.

5. Sophisticated walnut wood square. Flat diffused glass provides even distribution of light. Ideal decorative

light for family or game rooms. Space fixtures 7 to 10 feet apart.

6. Round adjustable unit. For spotlighting wall decorations, paintings, fireplace, draperies. Mount 2½ to 3 feet from wall, 4 feet apart.


7. Decorative glass without trim. Only white ceramic glass shows. General illumination for any room. Space fixtures 7 to 10 feet apart.

8. Deep rounded drop opal. Abundant ceiling light for overall illumination. Space fixtures 7 to 10 feet apart.


9. Square with Fresnel Lens. Concentrates light downward to illuminate localized area. Features high efficiency with low ceiling brightness.

*Moe Light has the
widest, most diversified
recessed lighting line
in the industry*


Not all units are illustrated in this catalog. For complete information on fixtures shown below see Moe Light Catalog 2000.



ELLIPSOIDAL
150-300W Prewired/Unwired.




MULTIPLIER
100-300W
Prewired/Unwired.




**PARABOLIC
REFLECTOR
DOWNLIGHTS**
100-150W
Prewired




**BAFFLE
DOWNLIGHTS**
150W Prewired




**LOUVERED
DOWNLIGHTS**
150W Prewired



**CONCRETE
POUR
HOUSINGS**




SQUARE
100-150W Prewired




ROUND 100W Prewired

PLASTER FRAMES
100-150-300W.



RECESSED LIGHTING



Moe Light's 4-point superiority

1. *Frame within a frame* — Exclusive Moe Light interlocking reflector and trim design means an absolute end to light leaks. Available with all Moe Light Square Series housings.
2. *Full reflector* — Maximum lighting efficiency is assured by full-size one-piece interlocking *parabolic anodized aluminum reflector*.
3. *Push-latch* — Releases hinged glass easily for relamping or cleaning (no tools needed); holds it tightly when closed. Outer frame need never be removed, eliminates cracking of paint.
4. Moe Light's housings are engineered for quick installation in old or new construction. Complete instructions in each package.


Decorative new natural walnut wood trim



Add a distinctive decorator touch to family or game room. Hand polished walnut wood frame with polished brass trim. Flat white glass. Depth 1 3/8".

M-633 300W. Fits M-6623 housing (Page 73). 13 1/4" square.
M-636 100W. Fits M-6646 housing (Page 73). 8 1/2" square.
M-638 150W. Fits M-6648 housing (Page 73). 10 1/4" square.

BAR HANGER



M-5600 (pair)

For use with housings:

M-5655	M-5672
M-5661	M-5675
M-5662	M-6001
M-5671	

Metal prong holds bar hangers in place until permanent fastening can be made.

M-5624 For use with 24" center studs.

Satin brass trim,
Flat Alba-Lite glass

Walnut wood trim,
flat white glass

White trim,
Drop opal glass

Satin aluminum trim,
Bent white glass

Chromium trim,
Regressed Fresnel glass

Polished copper trim,
Bent white glass

Order housing, trim (by finish) and glass separately. (Example: M-6646, M-626-1, M-56 = complete fixture.)

SQUARES

M-6646 HOUSING 60-100W

Housing ...7 $\frac{7}{8}$ " square x 5 $\frac{1}{2}$ " high
Finish opening8 $\frac{3}{8}$ " square
Outlet boxextends 4"
from housing
Trim size9" x 9" O.D.
Bar Hangers included

M-6648 HOUSING 150W

Housing ...9 $\frac{1}{2}$ " square x 5 $\frac{1}{2}$ " high
Finish opening10 $\frac{1}{8}$ " square
Outlet boxextends 4"
from housing
Trim size10 $\frac{3}{4}$ " x 10 $\frac{3}{4}$ " O.D.
Bar Hangers included

*M-626-3, M-628-3, M-623-3 are anodized non-corrosive finish for outdoor as well as indoor use.

M-6623 HOUSING 300W

Housing ...11 $\frac{7}{8}$ " square x 6 $\frac{1}{2}$ " high
Finish opening12 $\frac{1}{4}$ " x 12 $\frac{5}{8}$ "
Outlet boxextends 6 $\frac{3}{8}$ "
from housing
Trim size13" x 13" O.D.
Bar Hangers included

NOTE: M-6623 housing will fit one 12" x 12" acoustical ceiling tile opening.

TRIM FOR M-6646 HOUSING

M-626-1	Satin brass
M-626-2	Polished copper
*M-626-3	Satin aluminum
M-626-4	Chromium
M-626-8	Baked white
M-636	Walnut wood trim with flat white glass.

GLASS FOR M-6646 HOUSING

M-56	Flat Alba-Lite
M-66	Bent white
M-76	Regressed Fresnel
M-86	Drop opal

TRIM FOR M-6648 HOUSING

M-628-1	Satin brass
M-628-2	Polished copper
*M-628-3	Satin aluminum
M-628-4	Chromium
M-628-8	Baked white
M-638	Walnut wood trim with flat white glass.

GLASS FOR M-6648 HOUSING

M-58	Flat Alba-Lite
M-68	Bent white
M-78	Regressed Fresnel
M-88	Drop opal

TRIM FOR M-6623 HOUSING

M-623-1	Satin brass
M-623-2	Polished copper
*M-623-3	Satin aluminum
M-623-4	Chromium
M-623-8	Baked white
M-633	Walnut wood trim with flat white glass.

GLASS FOR M-6623 HOUSING

M-53	Flat Alba-Lite
M-63	Bent white
M-73	Regressed Fresnel
M-83	Drop opal

Satin brass trim
Flat Alba-Lite glass

Satin aluminum trim,
Bent white glass

Order housing, trim (by finish) and glass separately. (Example: M-5614 + M-614-1 + M-4 = complete fixture.)

RECTANGULAR

M-5614 HOUSING 60W

Housing ...9 $\frac{1}{8}$ " x 6 $\frac{1}{8}$ " x 4 $\frac{1}{4}$ " deep
Finish opening9 $\frac{3}{8}$ " x 6 $\frac{3}{8}$ "
Outlet boxextends 4"
from housing
Trim size10 $\frac{1}{4}$ " x 7 $\frac{1}{4}$ " O.D.
Bar Hangers included

M-5616 HOUSING 100W

Housing ...12 $\frac{1}{8}$ " x 8 $\frac{1}{8}$ " x 4 $\frac{1}{4}$ " deep
Finish opening12 $\frac{3}{8}$ " x 8 $\frac{3}{8}$ "
Outlet boxextends 4"
from housing
Trim size13 $\frac{1}{4}$ " x 9 $\frac{1}{4}$ " O.D.
Bar Hangers included

TRIM FOR M-5614 HOUSING

M-614-1	Satin brass
M-614-2	Polished copper
M-614-3	Satin aluminum
M-614-4	Chromium
M-614-8	Baked white

GLASS FOR M-5614 HOUSING

M-4	Flat Alba-Lite
-----	----------------

TRIM FOR M-5616 HOUSING

M-616-1	Satin brass
M-616-2	Polished copper
M-616-3	Satin aluminum
M-616-4	Chromium
M-616-8	Baked white

GLASS FOR M-5616 HOUSING

M-7	Flat Alba-Lite
M-17	Bent white

RECTANGULAR LIGHTING STYLES PACKED COMPLETE...HOUSING/GLASS/TRIM

M-5619

2-100W

Pre-wired incandescent, white bent glass;
chromium trim.

Housing24 $\frac{1}{4}$ " x 6 $\frac{3}{4}$ " x 6 $\frac{1}{4}$ " deep
Finish opening24 $\frac{1}{2}$ " x 7"
Outlet boxextends 6 $\frac{1}{2}$ " from housing
Trim size25 $\frac{3}{8}$ " x 7 $\frac{7}{8}$ " O.D.

M-5650

2-20W

Fluorescent, white bent glass; chromium trim.

Housing24 $\frac{1}{4}$ " x 6 $\frac{3}{4}$ " x 4 $\frac{1}{4}$ " deep
Finish opening24 $\frac{1}{2}$ " x 7"
Trim size25 $\frac{3}{8}$ " x 7 $\frac{7}{8}$ " O.D.
Trigger start, L.P.F., 60-cycle. A.C. only.


outstanding features

- **EASY TO MOUNT.** Housing mounts quickly to plaster frame. For fast removal, make one quick twist at keyhole on each side of housing.
- **FITS TIGHTLY, ADJUSTS EASILY.** Plaster frame assures tight fit, permits adjustment of housing after installation.
- **ADJUSTABLE FOR 75, 100, AND 150W LAMPS.** Reflector and socket can be adjusted easily and quickly while keeping reflected heat from fixture.
- **EASY TO WIRE AND INSPECT.** Snap-open cover on both sides of outlet box permits fast wiring and inspection of pre-wired housing.



ADJUST-ALL ROUND RECESSED HOUSING

*...fits all trim
and glass shown*

M-6000 Pre-wired, round, recessed housing. Adjustable socket assembly permits efficient use of 75W, 75W R-30, 100W, 150W, or 150W R-40 lamps. Housing, 7½" high; 6¾" diameter. Plaster frame opening, 7⅞"; 9" x 12¼" overall size. Bar hanger included.




M-6001 Un-wired, round, recessed housing. Adjustable socket assembly permits efficient use of 75W, 75W R-30, 100W, 150W or 150W R-40 lamps. Housing, 7½" high; 6¾" diameter. Plaster frame opening, 7⅞"; 9" x 9¾" overall size.



One housing to install

Now, it's only necessary to install one housing . . . yet you can get 22 different lighting effects with 50 trim and decorative glass variations. And with a spring-type mounting, the decorative trim and glass adjust swiftly and smoothly to any variance in the ceiling. Available in either a pre-wired (M-6000) or unwired (M-6001) series.

Only decorative opal glass shows




Design in luminous, hand-blown opal glass. Softly rounded, shallow, square shape. Decorative and compatible with any ceiling. Easy relamping. No trim needed. Spring mounting.



M-6676 Housing . . . 100W.
8⅛" x 8⅛" x 4¼" deep.
Outlet box extends 4" from housing.
Glass . . . 10" square; 2½" deep.

M-6678 Housing . . . 150W.
10⅛" x 10⅛" x 4¼" deep.
Outlet box extends 4" from housing.
Glass . . . 12" square; 2½" deep.
Packed complete; housing and glass.


PACKED COMPLETE...



M-5679 Pre-wired recessed safety or night light. Housing 7⅞" x 4⅞" x 3⅝" deep. Trim size 8⅝" x 5⅝". For in or outdoor use. Finished in aluminum. On/off switch and grounded convenience outlet. Recommended: 25W.



OPEN TRIM for reflector lamps



Small aperture, outside diameter 8", inside diameter 2", 75W R-30.

M-6026-1 Satin brass.
M-6026-2 Polished copper.
M-6026-3 Satin aluminum.
M-6026-8 Baked white.



Outside diameter 8", 75W R-30.

M-6020-1 Satin brass.
M-6020-2 Polished copper.
M-6020-3 Satin aluminum.
M-6020-4 Chromium.
M-6020-8 Baked white.



Outside diameter 8". Louvered, 75W R-30.
M-6021-1 Satin brass.
M-6021-2 Polished copper.
M-6021-3 Satin aluminum.
M-6021-4 Chromium.
M-6021-8 Baked white.



M-99 Perforated satin brass trim. Outside diameter 8". 150W R-40.



Outside diameter 8". 150W R-40.

M-6022-1 Satin brass.
M-6022-2 Polished copper.
M-6022-3 Satin aluminum.
M-6022-4 Chromium.
M-6022-8 Baked white.



Conical louver, Outside diameter 8 3/8". 150W R-40.


M-6023-1 Satin brass.
M-6023-2 Polished copper.
M-6023-3 Satin aluminum.
M-6023-4 Chromium.
M-6023-8 Baked white.



M-6036 Wall wash unit for dramatic light distribution. Diameter 8"; inner rim rotates 360° for directional effect. Baked white finish. 1-100W.


Mount 2' to 3' from wall and 4' apart. Spreads even light across wall.

TRIM AND GLASS for standard lamps



Fresnel Lens, Outside diameter 8". 100W.

M-6024-1 Satin brass.
M-6024-3 Satin aluminum.
M-6024-8 Baked white.




Bent white glass, Outside diameter 8". 100W.

M-6027-1 Satin brass.
M-6027-2 Polished copper.
M-6027-3 Satin aluminum (Shower Light Trim).
M-6027-4 Chromium (Shower Light Trim).
M-6027-8 Baked white.



Flat Alba-lite, Outside diameter 8". 100W.

M-6028-1 Satin brass.
M-6028-3 Satin aluminum.
M-6028-4 Chromium.
M-6028-8 Baked white.



Perforated Trim, Bent white glass. Outside diameter 10". 100W.

M-6030 Polished brass.

Perforated Trim, Bent white glass. Outside diameter 13". 150W.
M-6031 Polished brass.



Round Drop Opal Glass, Outside diameter 8". 100W.

M-6025-1 Satin brass.
M-6025-3 Satin aluminum.
M-6025-8 Baked white.




Standard Drop Opal Glass and Trim. Outside diameter 12 1/2". 150W.

M-6032-1 Satin brass.
M-6032-2 Polished copper.
M-6032-3 Satin aluminum.
M-6032-8 Baked white.

Round Drop Opal Glass, Outside diameter 12 1/2". 150W.

M-6035-1 Satin brass.
M-6035-3 Satin aluminum.
M-6035-8 Baked white.



Decorative spot for reflector lamps. Diameter 8", adjusts 31° vertical; 358° rotation.


M-6037-1 Satin brass, 30W R-20.
M-6037-3 Satin alum, 30W R-20.
M-6037-8 Baked white, 30W R-20.
M-6038-1 Satin brass, 75W R-30.
M-6038-3 Satin alum, 75W R-30.
M-6038-8 Baked white, 75W R-30.

Louver attachment for M-6038. Diameter 4 1/2", depth 3/4".
M-6039-1 Satin brass.
M-6039-3 Satin aluminum.
M-6039-8 Baked white.

DECORATIVE GLASS for standard lamps



White ceramic glass with crystal ice etching.
M-6040 Diameter 8". 100W.
M-6041 Diameter 12". 100W.



White ceramic glass with crystal ice etching.
M-6042 Diameter 14". 150W.



Plain white ceramic.
M-6044 Diameter 12". 100W.
M-6045 Diameter 14". 150W.

housing / trim / glass


M-5675 Pre-wired shower light. Housing 8 1/8" x 8 1/8" x 5 3/4" deep. Finish opening 6 1/2" diameter. Outlet box extends 4" from housing. Trim size 7 3/4" O.D. Drop opal glass; trimmed in satin aluminum.

Recommended: 1-60W.

Pre-wired, recessed directional beam unit. Housing 8 1/8" x 8 1/8" x 5 3/4" deep. Finish opening 8 3/8" diameter. Outlet box extends 4" from housing. Trim size 9 1/4" O.D. Black louver.

Adjustable 36° from vertical with 358° rotation. 30W R-20 flood.

M-5697-1 Satin brass
M-5697-3 Satin aluminum.
M-5697-8 Baked white.



Pre-wired directional beam. Housing 8 1/8" x 8 1/8" x 5 3/4" deep. Finish opening 8 3/8" diameter. Trim size 9 1/4" O.D. Black louver. 75W R-30 flood.

M-5698-1 Satin brass.
M-5698-3 Satin aluminum.
M-5698-8 Baked white.


12 1/2" x 12 1/2" x 7 1/2" deep. Pre-wired directional beam. Trim 11 3/4" O.D. Finish opening 10 1/2" diameter. 150W R-40 spot or flood.

M-5699-1 Satin brass.
M-5699-3 Satin aluminum.
M-5699-8 Baked white.



M-5655 Shower Light. Aluminum construction with bottom glass and watertight gasket. For 60W lamps. Plaster ring included. Box diameter 5 1/2"; depth 6 5/8". Trim diameter 7 1/2" overall. Finish: Chromium.

All unwired downlights shown are ideal for small, confined spaces.



M-5661 "High Hat." 75W R-30 lamp. Aluminum construction. Box diameter 4 1/2". With-out louver, 5 3/8" O.D. Ceiling flange 5 3/8" O.D. 4 1/2 feet AF asbestos wire leads. Plaster ring. Finish: Satin aluminum.

M-5662 With black die-cast louver. 7" deep.

M-5671 "High Hat." 150W R-40 lamp. Box diameter 6 3/4". Trim diameter 8". 4 1/2 feet AF asbestos wire leads. Plaster ring 7 1/8" O.D. Finish: Satin aluminum.

M-5672 With black die-cast louver. 8 3/4" deep.






DIFFUSER PANELS




M-4333 2' x 2' flat, white diffuser panel for application in any room. Radiates soft, even light, ideal for work areas. Hold-down clips included.



M-4334


Cube louver polystyrene diffuser. Symmetrical $\frac{1}{2}$ " cubes pass light directly, but 45° shielding eliminates glare.

M-4334 2' x 2'.






M-4335

M-4335 2' x 4'.



M-4337 2' x 2' sculptured, white vinyl diffuser, offers dramatic contemporary straight-line effect across ceiling. Hold-down clips included.


Create your own



Soft, shadowless setting... illuminated ceiling (M-4316 gridwork with M-4333 panels) sheds overall kitchen light... three M-1261-1 downlights (Page 36) provide practical serving area illumination... M-1543 pulldown (Page 12).

ILLUMINATED CEILINGS

bring sunshine indoors to kitchen and bathroom



Translucent panels, even fluorescent light — that's the illuminated ceiling. Its effect: a soft, almost outdoor-like glow to brighten life, lighten work.

Work and traffic areas, kitchen, bath and utility rooms are ideal applications for the shadowless light of illuminated ceilings.

Dim your illuminated ceiling

For dramatic effect, vary the light intensity with Thomas Industries fluorescent dimming equipment (Page 33). Permits adjustment of light level from 100% to less than 1%.

Two types of gridwork available:

1. Packaged gridwork kits for partial ceilings. A cut-to-size package of components for flush mounting in framed-out ceiling areas. In 4' x 4', 4' x 6' and 4' x 8' sizes.
2. Custom gridwork for any size or shape partial or complete illuminated ceiling.

Packaged Gridwork Kits

Complete, cut-to-size package of components for flush mounting in framed-out ceiling areas. Greatly simplifies installation. Includes T-shaped side runners to cover plaster or wallboard rough edges, plus cross runners and corner covers. White finish. Order diffuser panels separately.

M-4314 Gridwork for 48 $\frac{1}{16}$ " x 48 $\frac{1}{16}$ " finish opening. Use 4 M-4143 fluorescent strips (Page 83).

M-4315 Gridwork for 48 $\frac{1}{16}$ " x 72 $\frac{1}{16}$ " finish opening. Use 5 M-4143 fluorescent strips (Page 83).

M-4316 Gridwork for 48 $\frac{1}{16}$ " x 96 $\frac{1}{16}$ " finish opening. Use 6 M-4143 fluorescent strips (Page 83).

custom ceiling

FRAMING MEMBERS... only 4 basic parts

To make installation as easy as possible, only four basic parts are needed for Moe Light Illuminated Ceiling frames — side runners, main runners, cross runners and splicers. Of bonderized-galvanized steel with vinyl enamel white finish. Can be cut to length easily with an ordinary hack saw. All components hook together permanently without special clips.

M-4324 10' side runner. Attaches to the wall around room at the height you want by simply nailing to the wall.

M-4325 10' main runner. Mounts across room. Provides main ceiling support.

Cross runners connect the main runners forming the squares for the grid pattern of the ceiling.

M-4322 2' cross runner.

M-4323 4' cross runner.

M-4321 Main runner splicer. Used to connect 2 main runners when distance covered is over 10'.

Light your illuminated ceiling

Use 40W fluorescent strip (either 4 ft., one lamp M-4142 or 8 ft., two lamp M-4183... see Page 83). One 40W strip required per 6 to 8 sq. ft.

HOW TO ORDER


First, make a simple scale drawing of the area, including any odd-shaped bays, etc. Order at least enough feet of 10' side runners (M-4324) to fit completely around the area.

Main runners. Position the 10' main runners (M-4323) across the narrow dimension of the ceiling, 4' apart. When the length of the room is less than 10', position the main runners lengthwise instead of crosswise.

Cross runners. Locate 4' cross runners between main runners, 2' apart. (If 2' x 4' panels are being used, ceiling grid is now complete.)

If 2' x 2' panels are being used, place 2' cross runners so they span across the centers of the 4' cross runners.

Below is a typical layout for 10' x 12' room. Main runners are solid black, 4' cross runners are red, 2' cross runners are yellow.



Larger ceiling areas, irregular shapes and uneven dimensions.

Where 10' main runners are not long enough, figure enough additional lengths to cross the area. Order one splicer (M-4321) for each joint necessary.

When necessary to cut the diffuser panel to fit odd dimensions, order a flat diffuser (M-4333, M-4334 or M-4335).



No missed shots here. Plenty of game table light from two CO 7142-2 decorative ceiling squares, supplemented by wall-mounted M-1397-1 fluorescent accent strips.

The Cordova Series



CO 9142-2

CO 7142-2

CO 29184-4



CO 27184-4

DECORATIVE FLUORESCENTS

Wall-Mounted Series

Fluorescent accent stylings in wide range of finishes. Only 3" high for handsome, modern effect. Special prismatic polystyrene diffusers spread soft, even glow both above and below. Ideal for bed reading light or as an accent light for living or dining room, family room, den, corridor or bathroom. Easily mounted individually or in rows (row mounting requires M-1399 joiner clip). Die-cast aluminum end caps, finished black. Extends 5" from wall. Knockouts for switch and grounded convenience outlet.

24½" long, 1-20W trigger start fluorescent lamp.

M-1396-1 Satin brass panel.

M-1396-2 Satin copper panel.

M-1396-3 Satin aluminum panel.

M-1396-39 Walnut panel, satin brass trim.

48½" long, 1-40W rapid start fluorescent lamp.

M-1397-1 Satin brass panel.

M-1397-2 Satin copper panel.

M-1397-3 Satin aluminum panel.

M-1397-39 Walnut panel, satin brass trim.

M-1399 Clip to join two or more M-1396 or M-1397 brackets for row mountings. Black finish. Height 3", width 1¼", extends 5".

Cordova Series. The walnut look in fluorescent lighting — decorative, smart, practical. Trim ceiling squares spread soft, even glow. Ideal for kitchen, family room, game room. Walnut wood frame, satin brass trim.

25½" sq., 4¼" deep, 4-20W lamps (trigger start L.P.F.).

CO 9142-2 With ½" cube louver diffuser.

CO 7142-2 With prismatic polystyrene diffuser.

49½" sq., 4¼" deep, 8-40W lamps (rapid start H.P.F.).


CO 29184-4 With ½" cube louver diffuser.

CO 27184-4 With prismatic polystyrene diffuser.

M-1409 Attractive walnut decorative wall bracket, trimmed in brass. Spreads smart light pattern upward and downward. Knockouts for switch and grounded convenience outlet, 48" long. 1-40W rapid start fluorescent lamp.



M-1396-1



M-1396-2



M-1396-3



M-1396-39



M-1399



M-1397-1



M-1397-2



M-1397-3




M-1397-39



M-1409



Shadowless light for good grooming... three M-711 light vanity area... two M-1472 pendants (Page 47) add decorative appeal while two M-315 (Page 81) provide ideal illumination for the full length mirror.




M-711
Lamps included.

BATHROOM

*Lighting for comfort
and decorative appeal*




M-131



M-115



M-766



M-700
M-702 without switch



M-703

M-115 Perforated chrome band and edged white glass for top or sides of mirror. Turn switch, grounded convenience outlet. Height 4", length 12", extends 4 $\frac{7}{8}$ ". 2-60W.

M-131 White glass and chrome for mirror sides. Groundable convenience outlet, turn switch. Height 7 $\frac{1}{4}$ ", width 4 $\frac{1}{4}$ ", extends 5 $\frac{1}{4}$ ". 1-100W.



M-700 Clear, ribbed bottom lens, white shade. Chromium trim. Grounded convenience outlet, with pull-chain switch. Canopy 4 $\frac{3}{4}$ ", width 4 $\frac{1}{2}$ ", extends 7 $\frac{3}{4}$ ". 1-75W.

M-702 Same except no switch.


M-703 Ribbed crystal bottom lens on a white shade. Grounded convenience outlet, pull-chain switch. Chrome trim. Canopy 4 $\frac{3}{4}$ ", width 6 $\frac{1}{2}$ ", extends 7". 1-75W.

M-711 Tiny, patterned glass flower design with glowing centers. White bar mounts horizontally or vertically. Polished brass trim. On/off switch, grounded convenience outlet. Length 32", height 7", extends 6". 4-25W candelabra base M-1906 lamps included.

M-766 Crystal beads on bent glass. Mounts vertically or horizontally. Chrome trim. Turn switch, grounded convenience outlet. Length 17 $\frac{1}{2}$ ", width 5 $\frac{3}{4}$ ", extends 4 $\frac{7}{8}$ ". 2-60W.



M-710 Chic mirror light — three white fan shaped glass diffusers trimmed in polished brass on single white bar. Turn switch, grounded convenience outlet. Length 32", height 11¾", extends 5". 3-60W.



M-312 Perforated white reflector and frosted glass diffuser. Length 25". Chrome trim. Turn switch, grounded convenience outlet. Width 4", extends 4½". 1-20W fluorescent.

M-314 Same except length 49". 1-40W fluorescent.

M-315 White trim. Turn switch, grounded convenience outlet. Length 48½", width 5", extends 4½". 1-40W rapid start fluorescent.

M-317 Chromium and white, ribbed plastic — for alongside or over mirror. On/off switch, grounded convenience outlet. Height 2¾", extends 5". Length 31". 1-20W fluorescent trigger start. Lamp included.

M-318 Same as above except length 49½", 1-40W rapid start, not included.

M-339 Chrome fixture with turn switch, grounded convenience outlet. Outlet box flange. Length 21", width 2¼", extends 3½". 1-15W rapid start lamp (not included).

M-359 Same as above except for trigger start lamp.

M-336 Accessory for M-339, M-359. Chrome reflector — shields bulb, directs light. Length 18¼", width 2½", extends 3¾".

M-337 Accessory for M-339 and M-359 decorative snap-in white glass shade. Length 18½", width 2½".

M-747 Iced glass fixture for use above or alongside mirror. White end caps, chromium trim. On/off switch, grounded convenience outlet. Height 4½", extends 5". Length 16", 2-60W.


M-749 Same except length 25". 4-60W.

M-768 Same except length 31". 6-60W.


M-790 Linen-textured with pol. chrome accents. On/off switch, grounded convenience outlet. Lgth. 15", ht. 4½", extends 5". 2-60W.

M-791 Same except length 25". 4-60W.

M-792 Same except length 31". 6-60W.



BATHROOM CABINETS



MC-1652 Single cabinet with fluorescent lights, chromium-plated end caps, turn switch, grounded convenience outlet. 2-15W lamps included. Wall opening: 14" x 18" x 3 3/8". Mirror: 16" x 22".

MC-1602 Same as MC-1652 except unlighted.

MC-1601 Same as MC-1602 with best window glass mirror.



MC-1683 Lighted double cabinet. Sliding doors, chrome pulls. 15W fluorescent lamps furnished. Grounded convenience outlet, turn switch. Adjustable shelves; razor blade slots. Wall opening: 29 1/2" x 18 1/4" x 3 3/8". Overall: 35 1/2" x 19 1/2". Plate glass mirror size: 29 1/2" x 18".

MC-1681 Same as MC-1683, unlighted. Overall: 31" x 19 1/2".





MC-1685 Double cabinet, light above mirror. Sliding doors, chrome pulls. Grounded convenience outlet, toggle switch. 20W fluorescent lamp furnished. Adjustable shelves; razor blade slots. Wall opening: 29 1/2" x 18" x 3 3/8". Overall: 31" x 22". Plate glass mirror size: 29 1/2" x 18".




SL-932-8
SL-932-4

SL-934-4
M-1202 Copper



M-1242



M-1243

FLUORESCENT LIGHTING

for general wide area use

Single-light rapid start Circline fluorescents. Convert to pull-chain. Dia. 12", depth 3 1/2". 1-32W lamp (not included).

SL-932-4 Polished chrome.

SL-932-8 White.


Rapid start, double Circline fluorescents. Dia. 12", depth 3 1/2". 1-32W and 1-22W lamps (not included).

SL-934-4 Polished chrome.


M-1202 Polished copper.

M-1242 Large, two-light rapid start Circline fluorescent. Chrome finish. Dia. 16", depth 3 1/2". 1-40W and 1-32W lamps (not included).

M-1243 Three-light rapid start Circline. Chrome finish. Dia. 16", depth 4". 1-40W, 1-32 W and 1-22W lamps (not included).



M-2402



M-2414



A.



B.



C.

VALANCE



CORNICE



COVE



Cornice and cove lighting are often built-in parts of modern homes. Cornice boards and valances are available from your local department store or building supply dealer. Installing Moe Light Strip Fixtures is wonderfully easy:

1. Use Moe Light fluorescent strips individually or butted end-to-end. Determine the number of strips you need and order one set of M-4100 brackets for each.
2. Fasten each set of brackets to wall to fit length of fluorescent strip. The strip slides inside the bracket.
3. Fasten strip units together and make connection to outlet. Installation now complete for previously-installed coves and cornices.
4. With valances you now fasten front panel and finishing ends to specially-designed, slotted piece on the bracket. Varnish, paint or cover panels with fabric or wallpaper.

M-2402 Handsome two-light unit, designed for even diffusion. White finish, chrome end caps. Length 26 $\frac{3}{4}$ ", width 8", depth 3 $\frac{1}{2}$ ". 2-20W.

M-2414 Ribbed, white plastic diffuser, trimmed in white and chrome. Length 25 $\frac{1}{2}$ ", width 11", depth 4". 4-20W trigger start.

A. All-purpose strip lights for valance, cove, cornice and luminous ceiling lighting. Removable end caps used as couplings for end-to-end mounting. Knockouts and mounting holes for easy installation. Baked white enamel finish. For 110-125V, 60-cycle A.C.

M-4115 15-watt, L.P.F., length 18". Preheat.

M-4120 20-watt, L.P.F., length 24". Preheat.

M-4126 20-watt, L.P.F., length 24". Trigger start.

M-4130 30-watt, L.P.F., length 36". Preheat.

M-4136 30-watt, L.P.F., length 36". Rapid start.

M-4140 40-watt, L.P.F., length 48". Preheat.

M-4142 40-watt, L.P.F., length 48". Rapid start.


M-4143 40-watt, H.P.F., length 48". Rapid start.

M-4146 40-watt, L.P.F., length 48". "Dimmer" ballast. Rapid start. For use with any auto-transformer dimmer. (Ballast is GE 89G541).

B. M-4183 Two 40W H.P.F. Tandem. Rapid start. Length 96".

C. M-4243 Two 40W H.P.F. Parallel. Rapid start. Length 48", body 4 $\frac{1}{2}$ " wide.


M-4100 Set of 2 valance brackets. White enamel finish. Height 2 $\frac{1}{16}$ ", width $\frac{3}{4}$ " extend 6" to 9".




M-4100



END VIEW OF ITEMS A, B



END VIEW OF ITEM C



Lampholders are mounted on snap-on brackets at each end of strip—can be popped into channel instantly during installation.

Knockouts in end caps for fast, easy connection to building wire. End caps can be used as joining pieces for continuous runs.

Coverplate snaps on in a jiffy after wiring has been completed and tested. No screws, tools or effort.

For quick easy assembly Moe Light strips come with all parts completely assembled to the body.

32 basic structural lighting areas for your home

In today's home, there are 32 *basic areas* where lighting can make your life better, your work easier, your living more comfortable. They are *structural areas of the house*, areas known to need basic lighting — even prior to knowledge of furniture placement. So each area should be planned carefully for maximum efficiency, regardless of the type or style of furnishings you'll use later.

In your planning, keep each area's function foremost in mind. Then all you need is the area lighting guide shown below, a sketch of your floor plan — and the Moe Light catalog. Plan carefully, choosing fixtures large enough for the job. And complete plans well in advance so the contractor can place the wiring exactly where you want it.

In the floor plan, you'll see locations of the 32 *structural areas* that require basic lighting. The chart below gives recommendations for the type of lighting each area should have.

In addition to these *structural lighting areas*, there are many other places throughout the home where lighting pays *decorative dividends*, such as conversational and reading areas. You will note them as your plan of furniture placement develops. Pulldowns, clusters, pendants, and many other decorative fixtures are ideal for these uses.

Complete, detailed home lighting guide available. To further guide your planning, Moe Light has a detailed *Home Lighting Guide*, including sketches, room settings and sample floor plans. See your Moe Light Distributor, or write directly to Moe Light for your copy.



area lighting guide


ROOM	LIGHTING AREA	FIXTURE TYPE (See Table of Contents, Page 2)
Entry hall	1. Ceiling area	Close-to-ceiling; suspended
Living room	2. Fireplace*	Recessed
	3. Draperies*	Recessed; fluorescent valance
	4. Planter	Pendants; downlights
Dining room	5. Dining table*	Chandelier; pulldown
	6. Buffet area	Wall brackets; pendants
Kitchen	7. Entire kitchen area*	Close-to-ceiling; illuminated ceiling
	8. Sink and other "task" areas	Recessed; close-to-ceiling
	9. Eating area	Pulldown
Bathroom No. 1	10. Ceiling center	Close-to-ceiling; illuminated ceiling
	11. Lavatory-vanity	Wall brackets; pendants
	12. Shower-bath	Recessed
Bathroom No. 2	13. Ceiling center	Close-to-ceiling; illuminated ceiling
	14. Lavatory-vanity	Wall brackets; pendants
	15. Shower-bath	Recessed
Master bedroom	16. Ceiling center*	Close-to-ceiling; decorative glass
	17. Dressing area	Pendants; downlights; recessed

*indicates area where dimming effectively varies lighting to match activities (See Page 33)

General lighting for entry hall greets guests, makes home's first impression. A wide selection of styles are available to match any decor — traditional or contemporary.



Outdoor post light and wall bracket welcome guests, protect home from prowlers. Bullet light dramatizes wall plaque. Built-in eave lighting emphasizes beauty of planters and texture of walls.



In the living room, functional recessed lighting brings out architectural beauty of fireplace, making it a focal point of the room. At the same time, it adds to overall illumination.



In the dining room, a chandelier over dining area provides general illumination. Dimmer controlled, the light level is varied to match the activity.

ROOM

LIGHTING AREA

FIXTURE TYPE (See Table of Contents, Page 2)

Bedroom No. 2
Bedroom No. 3
Hall or corridor
Closets
(hall, bedroom, bath
utility room, kitchen)

Utility room
Family room
Outdoor

Garage or carport

18. Ceiling center
19. Ceiling center
20. Ceilings or walls
21. Closet interior
22. Ceiling
23. Ceiling*
24. Front entrance
25. Eaves
26. Walk light*
27. Patio
28. Porch
29. Back entrance
30. Entrance
31. Driveway
32. Garage interior

Close-to-ceiling; decorative glass
Close-to-ceiling; decorative glass
Close-to-ceiling; recessed; brackets
All-purpose
All-purpose
Decorative fluorescent; recessed; wall brackets
Outdoor wall brackets; ceiling lantern; recessed
Bullet accents; recessed
Post light; bullets
Post light; bullets
Ceiling lantern; wall brackets; recessed
Outdoor wall brackets
Outdoor wall bracket; bullets
Post light
All-purpose


*indicates area where dimming effectively varies lighting to match activities (See Page 33)

MOE
LIGHT

M-167 catalog illustrated index

SERIES INDEX

CHANDELIERS & MATCHING STYLES – WALL BRACKETS



PULLDOWNS – CHAIN SUSPENDED
(not illustrated)



***CHAIN SUSPENDED**

DECORATIVE CEILING STYLES



CLUSTERS / PENDANTS

M-1434-7 Page 46
M-1434-16 Page 46
M-1434-18 Page 46

M-1441 Page 46
M-1442 Page 46
M-1444 Page 47
M-1445 Page 46

M-1448 Page 43

M-1449 Page 43

M-1451 Page 47

M-1462 Page 48

M-1464 Page 47

M-1471 Page 42

M-1472 Page 47

M-1497 Page 47

M-1498 Page 46

M-1517 Page 46

M-1621-8 Page 50
M-1621-22 Page 50
M-1621-23 Page 50
M-1621-24 Page 50

M-1625-8 Page 48
M-1625-22 Page 48
M-1625-23 Page 48
M-1625-24 Page 48

M-1700 Page 2
M-1701 Page 2

M-1620-8 Page 50
M-1620-22 Page 50
M-1620-23 Page 50
M-1620-24 Page 50

M-2112 Page 48
M-2116 Page 48
M-2120 Page 48
M-2128 Page 48

M-2140 Page 48

M-2141 Page 49

M-2150-10 Page 49
M-2150-11 Page 49
M-2150-33 Page 49

M-2153-10 Page 49
M-2153-11 Page 49
M-2153-32 Page 49

M-2156-8 Page 48
M-2156-10 Page 48
M-2156-33 Page 48
M-2156-40 Page 48

M-1705 Page 2

M-2160 Page 48

M-2162 Page 49

M-2163 Page 49

M-2170-11 Page 49
M-2170-31 Page 49
M-2170-35 Page 49

M-2174-36 Page 49
M-2174-38 Page 49

M-2101 Page 48

M-3008 Pages 4, 47

M-3012-29 Pages 5, 47
M-3012-30 Pages 5, 47

M-3018-29 Pages 5, 47
M-3018-30 Pages 5, 47

M-2190 Page 46
M-2191 Page 46
M-2210 Page 46
M-3006 Pages 4, 47

SPREADER KITS

M-1410 Page 44
M-1416 Page 44
M-1418 Page 44

M-1033 Page 44

M-1404 Page 44

M-1412 Page 44

M-1413 Page 44

M-1415 Page 45
M-1419 Page 45

M-1420 Page 44

M-1422 Page 44

DECORATIVE GLASS

M-214 Page 52

M-260 Page 54

M-1018 Page 55

M-1022 Page 55

M-1077 Page 54

M-1081 Page 54

M-1082 Page 54

M-1083 Page 54

M-4001 Page 54

M-4004 Page 54

M-4006 Page 52

M-4013 Page 54

M-4019 Page 52

M-4021 Page 52

M-4025 Page 54

M-4029 Page 53

M-4033 Page 53

M-4035 Page 53

M-4037 Page 54

M-4039 Page 55

M-1913-1 Page 51
M-1913-3 Page 51
M-1913-8 Page 51

M-4040 Pages 12, 53

M-4044 Page 53

M-4049 Page 53

M-4066 Page 55

DIMMERS

M-6300 Page 33

M-6501 Page 33

M-6505 Page 33

M-6511 Page 33

M-6512 Page 33

M-6531 Page 33

ALL PURPOSE/DRUMS

M-343 Page 40

M-354 Page 40

M-401 Page 40
M-402 Page 40

M-406-4 Page 40
M-406-14 Page 40

M-408-4 Page 40
M-408-14 Page 40

M-410-4 Page 40
M-410-14 Page 40

M-412-4 Page 40
M-412-14 Page 40

M-414 Page 40

M-416 Page 40

M-426 Page 39
M-428 Page 39
M-430 Page 39
M-432 Page 39

M-458 Page 39
M-460 Page 39

M-633 Page 41
M-654 Page 41

M-720 Page 41

M-4072-3 Page 39
M-4072-4 Page 39

STEMS/OPAL, CRYSTAL CRACKLED GLASS

M-1048 Page 51

M-1911-1 Page 51
M-1911-3 Page 51
M-1911-8 Page 51
M-1912-1 Page 51
M-1912-3 Page 51
M-1912-8 Page 51

M-1915-1 Page 51
M-1915-3 Page 51
M-1915-8 Page 51
M-1916-1 Page 51
M-1916-3 Page 51
M-1916-8 Page 51








M-2100 Page 51
M-2102 Page 51
M-2104 Page 51
M-2106 Page 51

M-2101 Page 51
M-2103 Page 51

M-2105 Page 51

M-2107 Page 51

OUTDOOR LIGHTING



BULLETS



PORTABLE LIGHTING




BUILT-IN RECESSED LIGHTING



ILLUMINATED CEILINGS

Diffusers and framing members



FLUORESCENT LIGHTING

M-1396-1 Page 79
M-1396-2 Page 79
M-1396-3 Page 79
M-1396-39 Page 79

M-1397-1 Page 79
M-1397-2 Page 79
M-1397-3 Page 79
M-1397-39 Page 79

M-1399 Page 79

CO-9142-2 Page 78
M-1409 Page 79

CO-7142-2 Page 78
CO-29184-4 Page 78
CO-27184-4 Page 78

SL-932-4 Page 82
SL-932-8 Page 82
M-1202 Page 82
SL-934-4 Page 82
M-1242 Page 82

M-1243 Page 82
M-2402 Page 83

M-2414 Page 83
M-4115 Page 83
M-4120 Page 83
M-4126 Page 83
M-4130 Page 83
M-4136 Page 83
M-4140 Page 83
M-4142 Page 83
M-4143 Page 83
M-4146 Page 83

M-4243 Page 83
M-4100 Page 83
M-4183 Page 83

BATHROOM

M-115 Page 80
M-131 Page 80

M-312 Page 81
M-314 Page 81
M-315 Page 81
M-317 Page 81
M-318 Page 81
M-336 Page 81
M-337 Page 81
M-339 Page 81
M-359 Page 81

M-700 Page 80
M-702 Page 80
M-703 Page 80

M-710 Page 81
M-747 Page 81
M-749 Page 81

M-711 Page 80
M-790 Page 81
M-791 Page 81
M-792 Page 81

M-791 Page 81
M-792 Page 81

CABINETS

MC-1601 Page 82
MC-1602 Page 82
MC-1652 Page 82
MC-1685 Page 82

NUMERICAL INDEX

Fixture No.	Page No.	Fixture No.	Page No.
M-115	80	M-911-7-8	59
M-131	80	M-913-7	59
M-214	52	M-914	59
M-260	54	M-923	58
M-312	81	SL-932-4-8	82
M-314	81	SL-934-4	82
M-315	81	M-1001-1-3	67
M-317	81	M-1002-1-3	67
M-318	81	M-1003-1-3	66
M-336	81	M-1004-1-3	66
M-337	81	M-1005-1-3	66
M-339	81	M-1006-1-3	66
M-343	40	M-1018	55
M-354	40	M-1021	34
M-359	81	M-1022	55
M-401	40	M-1031	30
M-402	40	M-1032	34
M-406-4-14	40	M-1033	44
M-408-4-14	40	M-1035	30
M-410-4-14	40	M-1041	30
M-412-4-14	40	M-1048	51
M-414	40	M-1077	54
M-416	40	M-1081	54
M-426	39	M-1082	54
M-428	39	M-1085	54
M-430	39	M-1155	35
M-432	39	M-1166	34
M-458	39	M-1167	34
M-460	39	M-1170-1-14	29
M-653	41	M-1202	82
M-654	41	M-1242	82
M-700	80	M-1243	82
M-702	80	M-1254	26
M-703	80	M-1255	22
M-710	81	M-1261-1-3	36
M-711	80	M-1266	27
M-716	38	M-1270-1-14	29
M-720	41	M-1300	9
M-728	37	M-1301	9
M-730	37	M-1302	9, 16
M-738	37	M-1303	9, 16
M-739	36	M-1304	9, 21
M-740	37	M-1305	9, 21
M-741	35	M-1353	67
M-742	35	M-1357	67
M-743	35	M-1396-1-2-3-39	79
M-744-1-2-3	37	M-1397-1-2-3-39	79
M-745-1-2-3	37	M-1399	79
M-746-1-2	37	M-1404	44
M-747	81	M-1407	69
M-749	81	M-1409	79
M-752	35	M-1410	44
M-753	34	M-1412	44
M-754	36	M-1413	44
M-756-1-2	37	M-1415	45
M-757-1-2	37	M-1416	44
M-766	80	M-1418	44
M-768	81	M-1419	45
M-770	35	M-1420	44
M-771	35	M-1422	44
M-778	36	M-1425	13, 36
M-790	81	M-1429	13
M-791	81	M-1433	69
M-792	81	M-1434-7-16-18	46
M-803-3-7	65, 66	M-1441	46
M-807-3-7	66	M-1442	46
M-809	62	M-1444	47
M-810-1-7-8	60	M-1445	46
M-811-1-7-8	60	M-1448	43
M-812-1-7-8	60	M-1449	43
M-813-7	60	M-1451	47
M-815	38	M-1452-14-20	6, 16
M-821-1-7-8	34, 62	M-1453-14-20	6, 16
M-822-7-8-12	62	M-1454-14-20	6, 16
M-823	57	M-1455-14-20	6, 16
M-824	58	M-1456-14-20	7, 16
M-825	58	M-1457-14-20	6, 7, 16
M-826	58	M-1459-3-7-8	12
M-830-7	60	M-1462	48
M-832-8	60	M-1464	47
M-833-1-7	60	M-1470	43
M-834-7	60	M-1471	42
M-836	63	M-1472	47
M-839	16	M-1478	13, 36
M-840	16	M-1479	13
M-841	36	M-1486-14	17
M-844	57	M-1489-14	17
M-851-7-8-14	62	M-1491	10
M-852-7-8-14	57	M-1495	11
M-853	59	M-1497	47
M-856	62	M-1498	46
M-858	63	M-1499	15
M-859	63	M-1500	10
M-862-7-8-14	62	M-1506	22
M-865-1-7	63	M-1507	22
M-869-7	63	M-1508	22
M-870	63	M-1517	46
M-871	63	M-1527	43
M-872	63	M-1529-1-2	12
M-873	63	M-1532	17
M-874	64	M-1533	17
M-875	64	M-1536	11
M-876	64	M-1537	11
M-877-1-7	59	M-1543	12
M-879-1-7	59	M-1545	12
M-880	63	M-1546	13
M-881	63	M-1548	11
M-882	59	M-1551	30
M-883-1-7	63	M-1553	30
M-884	64	M-1555	30
M-885	64	M-1560	39
M-886	64	M-1561	29, 35
M-887	64	M-1567	20
M-888	59	M-1568	20
M-893	63	M-1569	20
M-901	58	M-1575	38
M-905	58	M-1585	27
M-908	58	M-1620-8-22-23-24	50
M-910	58	M-1621-8-22-23-24	50

Fixture No.	Page No.	Fixture No.	Page No.
M-1622-8-22-23-24	50	M-4126	83
M-1625-8-22-23-24	48	M-4130	83
M-1669	22	M-4136	83
M-1670	69	M-4140	83
M-1700	2	M-4142	83
M-1701	2	M-4143	83
M-1702	2	M-4146	83
M-1703	3, 30	M-4183	83
M-1704	3, 30	M-4243	83
M-1705	2	M-4314	77
M-1708	27	M-4315	77
M-1709	27	M-4316	77
M-1710	25	M-4321	77
M-1711	25	M-4322	77
M-1712	25	M-4323	77
M-1713	25	M-4324	77
M-1716	22	M-4325	77
M-1717	22	M-4333	76
M-1718	22	M-4334	76
M-1719	22	M-4335	76
M-1720	19	M-4337	76
M-1721	19	M-4915	65
M-1722	18	M-4919	65
M-1725	31	M-4920	65
M-1728	22	M-4921	65
M-1729	22	M-4922	65
M-1730	31	M-4923	65
M-1731	31	M-4931	65
M-1735	26	M-4932	65
M-1740	23	M-4933	65
M-1742	28	M-4941-7-8	65
M-1743-8-11	23, 29, 31	M-4942-7-8	65
M-1748	21	M-4970	68
M-1750	24	M-4971	68
M-1751	24	M-4972	68
M-1752	24	M-4973	68
M-1762	28	M-6500	33
M-1770	21	M-6501	33
M-1803-7-8	61	M-6505	33
M-1804	57	M-6511	33
M-1805	57	M-6512	33
M-1823-1-7-8	61	M-6530	33
M-1830	58	MC-1601	82
M-1831	58	MC-1602	82
M-1832	58	MC-1652	82
M-1853	59	MC-1681	82
M-1900	31	MC-1683	82
M-1901	31	MC-1685	82
M-1902	31	CO-9142-2	78
M-1903	31	CO-7142-2	78
M-1906	31	CO-29184-4	78
M-1910	36	CO-27184-4	78
M-1911-1-3-8	51		
M-1912-1-3-8	51		
M-1913-1-3-8	51		
M-1915-1-3-8	51		
M-1916-1-3-8	51		
M-2100	51		
M-2101	51		
M-2102	51		
M-2103	51		
M-2104	51		
M-2105	51		
M-2106	51		
M-2107	51		
M-2112	48		
M-2116	48		
M-2120	48		
M-2128	48		
M-2140	48		
M-2141	49		
M-2150-10-11-33	49		
M-2153-10-11-32	49		
M-2156-8-10-33-40	48		
M-2159-10-11-31	48		
M-2160	48		
M-2161	48		
M-2162	49		
M-2163	49		
M-2170-11-31-35	49		
M-2174-36-38	49		
M-2190	46		
M-2191	46		
M-2210	46		
M-2402	83		
M-2414	83		
M-3000	4, 14		
M-3001	4, 14		
M-3003	4		
M-3004	4		
M-3006	4, 47		
M-3008	4, 47		
M-3010-29-30	4, 5, 14, 15		
M-3011-29-30	5, 15		
M-3012-29-30	5, 47		
M-3014-29-30	4, 5		
M-3018-29-30	4, 5, 47		
M-4001	54		
M-4004	54		
M-4006	52		
M-4013	54		
M-4019	52		
M-4021	52		
M-4025	54		
M-4029	53		
M-4033	53		
M-4035	53		
M-4037	54		
M-4039	55		
M-4040	12, 53		
M-4044	53		
M-4049	52		
M-4050	38		
M-4062-1-8	37		
M-4066	55		
M-4072-2-4	39		
M-4078-1-2-4	38		
M-4080-1-2-4	38		
M-4086-1-2-4	38		
M-4090	12, 36		
M-4100	83		
M-4115	83		
M-4120	83		

BUILT-IN RECESSED LIGHTING

M-5600	72
M-5624	72
M-6646	73
M-626-1-2-3-4-8	73
M-56	73
M-66	73
M-76	73
M-86	73
M-6648	73
M-628-1-2-3-4-8	73
M-58	73
M-68	73
M-78	73
M-88	73
M-6623	73
M-623-1-2-3-4-8	73
M-53	73
M-63	73
M-73	73
M-83	73
M-5614	73
M-614-1-2-3-4-8	73
M-4	73
M-5616	73
M-616-1-2-3-4-8	73
M-7	73
M-17	73
M-6000	74
M-6001	74
M-99	75
M-6020-1-2-3-4-8	75
M-6021-1-2-3-4-8	75
M-6022-1-2-3-4-8	75
M-6023-1-2-3-4-8	75
M-6024-1-3-8	75
M-6025-1-3-8	75
M-6026-1-2-3-8	75
M-6027-1-2-3-4-8	75
M-6028-1-3-4-8	75
M-6030	75
M-6031	75
M-6032-1-2-3-8	75
M-6035-1-3-8	75
M-6036	75
M-6037-1-3-8	75
M-6038-1-3-8	75
M-6039-1-3-8	75
M-6040	75
M-6041	75
M-6042	75
M-6044	75
M-6045	75
M-5619	73
M-5650	73
M-5655	75
M-5661	75
M-5662	75
M-5671	75
M-5672	75
M-5675	74
M-5679	74

AMERICAN INSTITUTE OF ARCHITECTS
 FILE NO. A.I.A. 31-F-2
 U.L. INSPECTION SERVICE AND
 A.F. OF L. (I.B.E.W.) LABELS



*imaginative
 new home lighting
 ideas and styles
 from*

Moe Light



THOMAS INDUSTRIES INC.

MOE LIGHT DIVISION

EXECUTIVE OFFICES:

207 East Broadway
 Louisville 2, Kentucky

In Canada: C & M Products Ltd., Toronto

Products of THOMAS INDUSTRIES INC.

Moe Light, Star Light lighting fixtures • Benjamin commercial and industrial lighting equipment • Moe Light bathroom cabinets • Wright power saws • Sprayit paint spraying equipment • Ideal bathroom cabinets • Radiant opal glass • Electronic Division • Thomas Paint Rollers

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

from

Moe Light



**MOE
LIGHT**

THOMAS INDUSTRIES INC.

MOE LIGHT DIVISION

EXECUTIVE OFFICES:

207 East Broadway
Louisville 2, Kentucky

In Canada: C & M Products Ltd., Toronto

Products of THOMAS INDUSTRIES INC.

Moe Light, Star Light lighting fixtures • Benjamin commercial and industrial lighting equipment • Moe Light bathroom cabinets • Wright power saws • Sprayit paint spraying equipment • Ideal bathroom cabinets • Radiant opal glass • Electronic Division • Thomas Paint Rollers